

MICRO-GEN EQUIPMENT CORP -- ULD BP-300 INSECTICIDE -- 6840-01-104-0780

===== Product Identification =====

Product ID:ULD BP-300 INSECTICIDE

MSDS Date:05/22/1992

FSC:6840

NIIN:01-104-0780

MSDS Number: BBCNW

=== Responsible Party ===

Company Name:MICRO-GEN EQUIPMENT CORP

Address:10700 SENTINEL DR

City:SAN ANTONIO

State:TX

ZIP:78217-3814

Country:US

Info Phone Num:512-654-8570, 800-777-8570

Emergency Phone Num:800-228-5635

Preparer's Name:RICHARD CLARK

CAGE:52987

=== Contractor Identification ===

Company Name:FAIRFIELD AMERICAN CORP AN AOSI CO

Address:201 RT 17 NORTH

Box:City:RUTHERFORD

State:NJ

ZIP:07070

Country:US

Phone:201-507-4880

CAGE:66146

Company Name:MICRO-GEN EQUIPMENT CORP

Address:10700 SENTINEL DR

Box:City:SAN ANTONIO

State:TX

ZIP:78217-3814

Country:US

Phone:512-664-8570

CAGE:52987

===== Composition/Information on Ingredients =====

Ingred Name:PYRETHRINS

CAS:121-29-9

RTECS #:GZ0700000

Fraction by Wt: 3.0%

OSHA PEL:5MG/CUM

A

CGIH TLV:5MG/CUM
EPA Rpt Qty:1 LB
DOT Rpt Qty:1 LB

Ingred Name:PIPERONYL BUTOXIDE
CAS:51-03-6
RTECS #:XS8050000
Fraction by Wt: 6.0%
Other REC Limits:NONE SPECIFIED BY M.
ACGIH TLV:50 PPM

Ingred Name:N-OCTYL BICYCLOHEPTENE DICARBOXIMIDE
CAS:463-04-7
RTECS #:RB8575000
Fraction by Wt: 10.0%
Other REC Limits:NONE SPECIFIED BY M.

Ingred Name:ALIPHATIC HYDROCARBON (ALIPHATIC PETROLEUM SOLVENT)
CAS:64742-47-8
Fraction by Wt: 81.0%
Other REC Limits:200 PPM
OSHA PEL:400 PPM
ACGIH TLV:100 PPM

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE-EYES AND SKIN: IRRITATION.
INHALATION OF VAPORS: IRRITATION OF RESPIRATORY TRACT.
INGESTION:MAY BE HARMFUL, SMALL AMOUNTS ASPIRATED INTO LUNGS MAY
CAUSE CHEMICAL PNEUMONITIS.CHRONIC- DERMATITIS.
Explanation of Carcinogenicity:NOT LISTED
Effects of Overexposure:IRRITATION, COUGH
ING, NAUSEA, VOMITING.
Medical Cond Aggravated by Exposure:NONE NOTED.

===== First Aid Measures =====

First Aid:EYE:FLUSH WITH PLENTY OF WATER; SKIN:REMOVE CONTAMINATED
CLOTHING & WASH AFFECTED AREAS OF SKIN WITH SOAP & WATER;
INHALATION:REMOVE TO FRESH AIR. APPLY CPR/O2 IF NEEDED;
INGESTION:DO NOT INDUCE VOMITING UNLESS DIRECTED BY A PHYSICIAN.
CONTACT A PHYSICIAN IMMEDIATELY. IF ANY IRRITATION PERSISTS, SEE A
DOCTOR.

=====

===== Fire Fighting Measures =====

Flash Point Method:TCC

Flash Point:175F,79C

Lower Limits:0.7

Upper Limits:8.0

Extinguishing Media:FOAM,CO2,DRY CHEMICAL,WATER FOG.

Fire Fighting Procedures:USE SCBA. COOL FIRE EXPOSED CONTAINERS WITH WATER.

Unusual Fire/Explosion Hazard:DO NOT USE DIRECT STREAM OF WATER.MATERIAL MAY FLOAT AND REIGNITE

===== Accidental Release Measures =====

Spill Release Procedures:ELIMINATE SOURCES OF IGNITION. DIKE TO STOP

FLOW INTO WATERWAYS. ABSORB IN INERT MATERIAL AND PLACE IN DISPOSAL CONTAINERS.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN A COOL, DRY, WELL VENTILATED AREA.

Other Precautions:EMPTY CONTAINERS RETAIN RESIDUE. DO NOT PRESSURIZE, CUT, WELD OR EXPOSE TO HEAT, FLAME, STATIC ELECTRICITY, OR OTHER SOURCES OF IGNITION; THEY MAY EXPLODE AND CAUSE INJURY.

===== Exposure Controls/Personal Protection ==
=====

Respiratory Protection:NONE NORMALLY REQUIRED. USE NIOSH APPROVED SELF-CONTAINED BREATHING APPARATUS IF TLV IS EXCEEDED OR WHEN SPRAYING OR USING IN CONFINED SPACES.

Ventilation:MECHANICAL (GENERAL) VENTILATION.

Protective Gloves:WEAR GLOVES AS NEEDED

Eye Protection:SPLASH PROOF SAFETY GLASSES

Other Protective Equipment:EYEWASH, FULL-SLEEVED APRON, BOOTS.

Work Hygienic Practices:DO NOT EAT, DRINK OR SMOKE WHILE WORKING WITH THIS PRODUCT.

Supplemental Safety and Health
EP

===== Physical/Chemical Properties =====

HCC:T5

Boiling Pt:B.P. Text:>200F,>93C

Vapor Pres:10 @ 68F

Vapor Density:6

Spec Gravity:0.83

Solubility in Water:NEGLIGIBLE

Appearance and Odor:CLEAR YELLOW LIQUID, MILD SOLVENT ODOR.

Percent Volatiles by Volume:81

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS.

Stability Condition to Avoid:OPEN FLAMES, HIGH TEMPERATURES

Hazardous Decomposition Products:NOT SPECIFIED, BUT EXPECT OXIDES
CARBON, NITROGEN AND SULFUR.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSAL MUST BE IN ACCORDANCE WITH APPLICABLE
FEDERAL, STATE & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly

or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.