

DEFT INC/CHEMICAL COATING DIV -- 85X011 10% DABCO T 12 IN PM ACETATE -- 8010-01-306-4934

===== Product Identification =====

Product ID:85X011 10% DABCO T 12 IN PM ACETATE

MSDS Date:12/31/1991

FSC:8010

NIIN:01-306-4934

MSDS Number: BBGKY

=== Responsible Party ===

Company Name:DEFT INC/CHEMICAL COATING DIV

Address:17451 VON KARMAN AVE

City:IRVINE

State:CA

ZIP:92714-6205

Country:US

Info Phone Num:714

-474-0400

Emergency Phone Num:714-474-0400

Preparer's Name:NORM GAUL

CAGE:FO129

=== Contractor Identification ===

Company Name:DEFT INC/CHEMICAL COATING DIV

Address:17451 VON KARMAN AVE

City:IRVINE

State:CA

ZIP:92714-6205

Country:US

Phone:714-474-0400

CAGE:FO129

Company Name:DEFT, INC.

Address:17451 VON KARMAN AVE

City:IRVINE

State:CA

ZIP:92614

Country:US

Phone:949-474-0400

CAGE:33461

===== Composition/Information on Ingredients =====

Ingred Name:ETHYL 3-ETHOXYPROPIONATE

CAS

:763-69-9
RTECS #:UF3325000
Fraction by Wt: 90%

Ingred Name:DIBUTYLTIN DILAURATE, URETHANE CATALYST
CAS:77-58-7
RTECS #:WH7000000
Fraction by Wt: 10%
Other REC Limits:0.1 MG/CUM (SN)
OSHA PEL:0.1 MG/CUM (SN)
ACGIH TLV:0.1 MG/CUM, SN(SKIN)

Ingred Name:VOL ORGANIC CMPD: 878 G/L
RTECS #:9999999VO

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:INHALATION: RESPIRATORY TRACT
IRRITATION, NS DEPRESSION. SKIN: ABSORPTION, IRRITATION. EYES:
IRRITATION. INGESTION: IRRITATION & CORROSIVE ACTION IN THE MOUTH,
STOMACH TISSUE & DIGESTIVE TRACT. MAY CAUSE LIVER & KIDNEY DAMAGE.
PROLONGED CONTACT CAUSES SKIN SENSITIZATION/OTHER ALLERGIC
RESPONSES.
Explanation of Carcinogenicity:NONE
Effects of Overexposure:IRRITATION, HEADACHE, DIZZINESS, STAGGERING
GAIT, CONFUSION, UNCONSCIOUSNESS, COMA, SWELLING, REDNESS, RASH
,
TEARING, STINGING SENSATION, DRYING, DEFATTING, CRACKED SKIN,
DIFFICULT BREATHING, SENSITIZATION, ASTHMA
Medical Condition Aggravated by Exposure:ASTHMA & ANY OTHER RESPIRATORY
DISORDERS, SKIN ALLERGIES, ECZEMA & DERMATITIS

===== First Aid Measures =====

First Aid:INHALATION: REMOVE TO FRESH AIR. RESTORE BREATHING. SKIN:
WASH AFFECTED AREAS THOROUGHLY W/SOAP & WATER. EYES: FLUSH W/CLEAN
LUKEWARM WATER (LOW PRESSURE) FOR AT LEAST 15 MINS.

INGESTION:

DON'T INDUCE VOMITING. ASPIRATION HAZARD. DON'T GIVE ANYTHING TO AN UNCONSCIOUS PERSON. OBTAIN MEDICAL ATTENTION IN ALL CASES.

===== Fire Fighting Measures =====

Flash Point Method:TCC

Flash Point:138F

Lower Limits:1.05

Extinguishing Media:FOAM, ALCOHOL FOAM, CO2, DRY CHEMICAL, WATER FOG

Fire Fighting Procedures:WEAR SCBA W/FULL PROTECTIVE CLOTHING. WATER MAY BE USED TO COOL CLOSED CONTAINERS TO PREVENT PRESSURE BUILD-UP, AUTOIGNITI

ON & EXPLOSION.

Unusual Fire/Explosion Hazard:CLOSED CONTAINERS MAY EXPLODE WHEN EXPOSED TO EXTREME HEAT. FLAMMABLE LIQUID. APPLICATION TO HOT SURFACES REQUIRES SPECIAL PRECAUTIONS.

===== Accidental Release Measures =====

Spill Release Procedures:EVACUATE ALL NON-ESSENTIAL PERSONNEL. REMOVE ALL SOURCES OF IGNITION. VENTILATE AREA. CONTAIN & REMOVE W/INERT ABSORBENT & NON-SPARKING TOOLS.

===== Handling and Storage =====

=====

Handling and Storage Precautions:AVOID STORING NEAR HIGH TEMPS/FIRE/OPEN FLAMES/SPARK SOURCES. STORE IN WELL VENTILATED AREAS.

Other Precautions:KEEP CONTAINERS TIGHT/UPRIGHT TO PREVENT LEAKAGE. AVOID BREATHING OF VAPORS/SPRAY MISTS. AVOID CONTACT W/SKIN & EYES. DON'T TAKE INTERNALLY. READ/UNDERSTAND SAFETY PRECAUTIONS BEFORE HANDLING. SMOKE I N SMOKING AREAS ONLY.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:A RESPIRATOR THAT IS RECOMMENDED/APPROVED FOR USE IN AN ORGANIC VAPOR ENVIRONMENT (AIR PURIFYING OR FRESH AIR SUPPLIED) IS NECESSARY.

Ventilation:EXHAUST: SUFFICIENT TO KEEP AIRBORNE CONCENTRATIONS OF SOLVENT VAPORS/MIST BELOW TLVS.

Protective Gloves:COTTON/NEOPRENE/RUBBER/POLYETHYLENE

Eye Protection:CHEMICALS GOGGLES

Other Protective Equipment:SAFETY GLASSES W/SPLASH GUARDS/SIDE SHIELDS, LONG SLEEVE & LONG LEG CLOTHING, FACE SHIELD.

Work Hygienic Practices:REMOVE/LAUNDER CONTAMINATED CLOTHIN

G BEFORE

REUSE. WASH HANDS BEFORE EATING, SMOKING, OR USING WASHROOM.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:F4

Boiling Pt:B.P. Text:338-401F

Vapor Density:>1

Spec Gravity:0.95918

Evaporation Rate & Reference:(N-BU AC = 1): 0.1

Solubility in Water:INSOLUBLE

Appearance and Odor:CLEAR LIQUID W/SOLVENT ODOR.

Percent Volatiles by Volume:91

===== Stability and Reactivity Data =====

Stability Indicat

or/Materials to Avoid:YES

STRONG OXIDIZING AGENTS

Stability Condition to Avoid:EXTREME HEAT, SPARKS, ELECTRICAL

EQUIPMENT, OPEN FLAME, FIRE, OTHER IGNITION SOURCES & HIGH TEMPS.

Hazardous Decomposition Products:CO, CO2, & OXIDES OF NITROGEN

===== Disposal Considerations =====

Waste Disposal Methods:WASTE MUST BE DISPOSED OF IN ACCORDANCE

W/FEDERAL, STATE, & LOCAL ENVIRONMENTAL CONTROL REGULATIONS. EMPTY
CONTAINERS MUST BE HANDLED W/CARE, DUE TO PRODU

CT RESIDUE &

FLAMMABLE VAPOR. DON'T INCINERATE CLOSED CONTAINER.

D001/F003/F005. UN1263.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to ver

ify and

assume responsibility for the suitability of this information to their
particular situation.