

R-H PRODUCTS CO -- XL-8 CEMENT SOLVENT -- 8040-00-066-0694

===== Product Identification =====

Product ID:XL-8 CEMENT SOLVENT

MSDS Date:01/01/1987

FSC:8040

NIIN:00-066-0694

MSDS Number: BBVJV

=== Responsible Party ===

Company Name:R-H PRODUCTS CO/ACTON, MA 01720

Emergency Phone Num:(617) 897-8000

CAGE:JO959

=== Contractor Identification ===

Company Name:R-H PRODUCTS CO/ACTON, MA 01720

CAGE:JO959

=

===== Composition/Information on Ingredients =====

Ingred Name:TOLUENE (SARA III)

CAS:108-88-3

RTECS #:XS5250000

Fraction by Wt: 35%

OSHA PEL:200 PPM/150 STEL

ACGIH TLV:50 PPM; 9293

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 LBS

Ingred Name:NAPHTA (PETROLEUM SPIRITS OR BENZIN)

CAS:8030-30-6

RTECS #:DE3030000

Fraction by Wt: 65%

OSHA PEL:100 PPM

===== Hazards Identification =====

Effects of Overexposure:CONCENTRATED VAPORS MAY PRODUCE HEADACHE,

DIZZINESS, NAUSEA

===== First Aid Measures =====

First Aid:INHALATION: REMOVE VICTIM TO FRESH AIR.

===== Fire Fighting Measures =====

Flash Point:5-25F (CC)

Lower Limits:1%

Upper Limits:7%

Extinguishing Media:FOAM, DRY CHEMICAL, FOG, CO2

Fire Fighting Procedures:SELF-CONTAINED BREATHING APPARATUS IS
RECOMMENDED.

===== Accidental Release Measures =====

Spill Release Procedures:COLLECT

SPILLED MATERIAL & CLEAN UP RESIDUE.

AVOID SPARKS. PLACE IN METAL CONTAINER.

===== Handling and Storage =====

Handling and Storage Precautions:KEEP AWAY FROM SPARKS OR OTHER
IGNITION SOURCES. USE & STORE WITH ADEQUATE VENTILATION. KEEP
CTAINER CLOSED WHEN NOT IN USE.

Other Precautions:PERSONNEL SHOULD AVOID PROLONGED & EXCESSIVE
INHALATION OF VAPORS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:N

IOSH APPROVED CARTRIDGE RESPIRATOR IF NEEDED.

Ventilation:LOCAL EXHAUST

Protective Gloves:IMPERVIOUS

Eye Protection:SHOULD NOT BE NECESSARY

Supplemental Safety and Health

MSDS DATE: 07/85

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:230F

Vapor Pres:180

Vapor Density:3

Spec Gravity:.8

Evaporation Rate & Reference:SLOWER THAN ETHER

Appearance and Odor:COLORLESS LIQUID, CHARACTERISTIC SOLVENT ODOR.

Percent Volatiles by Volume:100%

=====

= Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES

===== Disposal Considerations =====

Waste Disposal Methods: DISPOSE IN ACCORDANCE WITH LOCAL OR STATE
REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this info

rmation to be accurate and

disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.