

CHEM COMMODITIES AGY, INC -- CLEANING & LUBRICATING CMPD. ELEC CONT --  
6850-00-003-1194

===== Product Identification =====

Product ID:CLEANING & LUBRICATING CMPD. ELEC CONT

MSDS Date:01/01/1985

FSC:6850

NIIN:00-003-1194

MSDS Number: BCTXV

=== Responsible Party ===

Company Name:CHEM COMMODITIES AGY, INC

Address:27447 PACIFIC STREET

City:HIGHLAND

State:CA

ZIP:92346-2640

Country:US

Info Phone Num:714-864-2310

Emergency Phone Num:714-864-2310

CAGE:JO769

=== Contra

ctor Identification ===

Company Name:CHEM COMMODITIES AGY, INC

Address:27447 PACIFIC STREET

Box:1650

City:HIGHLAND

State:CA

ZIP:92346-2640

Country:US

Phone:714-864-2310

CAGE:JO769

Company Name:CHEMICAL COMMODITIES AGENCY, INC.

Address:27447 PACIFIC STREET

Box:City:HIGHLAND

State:CA

ZIP:92346-2640

Country:US

Phone:909-864-2310

CAGE:60777

===== Composition/Information on Ingredients =====

Ingred Name:METHYL CHLOROFORM (1,1,1-TRICHLOROETHANE) (SARA III)

CAS:71-55-6

RTECS #:KJ297

5000  
Fraction by Wt: 65.0%  
OSHA PEL:350 PPM/450 STEL  
ACGIH TLV:350 PPM/450STEL;9192  
EPA Rpt Qty:1000 LBS  
DOT Rpt Qty:1000 LBS  
Ozone Depleting Chemical:1

Ingred Name:SILICONE  
Fraction by Wt: 5.0%  
ACGIH TLV:NONE

Ingred Name:HALOGENATED HYDROCARBONS  
Fraction by Wt: 30.0%  
ACGIH TLV:1000PPM

===== Hazards Identification =====

Effects of Overexposure:ANESTHETIC EFFECTS MAY OCCUR IN RANGE OF  
500-1000PPM

===== First Aid Measures =====  
=====

First Aid:EYE/SKIN: FLUSH W/WATER. GET MD IF IRRIT DEVELOPS. INH: IF  
BRTHNG STOPS, ARTIF RESP. REMOVE TO FRESH AIR, GET MD. INGEST:  
INDUCE VOMIT, CALL MD. AVOID SYMPTOMINETIC AMINES - EPINEPHRINE.

===== Fire Fighting Measures =====

Extinguishing Media:WATER, FOG  
Fire Fighting Procedures:SELF-CNTND RESP EQUIP TO BE USED

===== Accidental Release Measures =====

Spill Release Procedures:DISPOSE OF IN APPRVD STG CNT  
NR & DISPOSE OF  
IAW LOCAL, STATE, FED REG.

===== Handling and Storage =====

Handling and Storage Precautions:RELEASE TO ATMOSHPERE. STORE IN COOL,  
DRY AREA IN TRANSP.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE WHEN TLV BELOW 350PPM, OTHERWISE, USE  
SELF-CNTND BRTHNG APP  
Ventilation:LOCAL EXHST TO LIMIT CONC IN TO TLV  
Protective Gloves:NONE  
Eye Protection:SAFETY GLASSES  
Other Protective Equipmen

t:NONE  
Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:V3  
Appearance and Odor:CLEAR, SHARP

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
ALKALI OR ALKALINE EARTH MTL.H\*2O-SLOW HYDROLYSIS PROD ACID  
Stability Condition to Avoid:OPEN FLAMES, WELDING ARCS OR OTHER HIGH  
TEMPS, IND TH DECOMP  
Hazardous Decomposition Products:OPEN FLAMES & WELDING ARCS GIVE HCL &  
SM AMTS  
PHOSG & CL

===== Disposal Considerations =====

Waste Disposal Methods:SHIP IN APPRVD DISPOSAL CNTNR & DISPOSE OF IAW  
LOCAL, STATE, FED REG.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any  
person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.