

AUNYX MANUFACTURING -- T-450 -- 6850-00-003-5139

===== Product Identification =====

Product ID:T-450

MSDS Date:01/01/1985

FSC:6850

NIIN:00-003-5139

MSDS Number: BCTYL

=== Responsible Party ===

Company Name:AUNYX MANUFACTURING

Emergency Phone Num:617-739-7050

CAGE:JO775

=== Contractor Identification ===

Company Name:AUNYX MANUFACTURING

CAGE:JO775

Company Name:AUNYX MFG CORP

Address:65 INDUSTRIAL PARK RD

Box:City:HINGHAM

State:MA

ZIP:02043-4306

Country:US

Phone:

617-749-7050

CAGE:57886

===== Composition/Information on Ingredients =====

Ingred Name:SOLIDS,NON-HAZARDOUS,UNIDENTIFIED

Fraction by Wt: 100%

===== Hazards Identification =====

Effects of Overexposure:CREATION OF DUST CLOUD CREATES NUISANCE DUST.

===== First Aid Measures =====

First Aid:IF DUSTY CONDITIONS,REMOVE TO FRESH AIR AND TREAT AS NUISANCE DUST.

===== Fire Fighting Measur

es =====

Extinguishing Media:CO*2, FOAM, DRY CHEM & H*2O FOG.

Fire Fighting Procedures:SEVERE FIRE REQUIRES SCBA

Unusual Fire/Explosion Hazard:HIGH CONC SUSPENDED IN AIR MAY FORM
EXPLOSV MIX;IF IGNITED COULD RESULT IN DUST EXPLOSION.

===== Accidental Release Measures =====

Spill Release Procedures:CONTAIN SPILL TO AVOID FORMATION OF DUST
CLOUDS.

===== Handling and Storage =====

Handling and Storage Preca

utions:STORE IN COOL,DRY,WELL VENTILATED

AREA. PROTECT FROM PHYSICAL DAMAGE.AVOID ANY PHYSICAL CONTACT. KEEP
CONTAINERS TIGHTLY CLOSED

Other Precautions:NONE

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NO SPECIAL REQMENTS UNDER ORDINARY
CONDITIONS/ADEQUATE VENT.

Ventilation:NORMAL ROOM VENTILATION.

Protective Gloves:OPTIONAL

Eye Protection:AS REQUIRED

Supplemental Safety and Health

===== Physical/Chemical Properties =====

=====

HCC:N1

Spec Gravity:1.1

Solubility in Water:NEGLIGIBLE

Appearance and Odor:BLACK POWDER,ESSENTIALLY ODORLESS.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

Stability Condition to Avoid:NONE

Hazardous Decomposition Products:MAY FORM TOXIC MATL. CO*2, CO, VARIOUS
HYDROCARBONS,ETC.

===== Disposal Considerations =====

Waste Disposal Methods:KEEP IN COVERED DRUMS,PENDING DISPOSAL.

HANDLE &

DISPOSE IN FULL COMPLIANCE WITH ALL APPLICABLE
INTERNATIONAL, FEDERAL, STATE, & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.