

GENERAL ELECTRIC CO. SILICONE PRODUCTS BUSINESS DE -- SF96-1000 -- 9150-00-024-9623

===== Product Identification =====

Product ID:SF96-1000

MSDS Date:03/23/1990

FSC:9150

NIIN:00-024-9623

MSDS Number: BCVPN

==== Responsible Party ===

Company Name:GENERAL ELECTRIC CO. SILICONE PRODUCTS BUSINESS DE

Address:HUDSON RIVER ROAD

City:WATERFORD

State:NY

ZIP:12188

Country:US

Info Phone Num:518-237-3330

Emerg

ency Phone Num:518-237-3330

Preparer's Name:GCD

CAGE:01139

==== Contractor Identification ===

Company Name:GENERAL ELECTRIC CO, SILICONE PRODUCTS BUSINESS DEPT

Address:260 HUDSON RIVER RD

Box:City:WATERFORD

State:NY

ZIP:12188

Country:US

Phone:518-237-3330/800-332-3390

CAGE:01139

Company Name:R.H.CARLSON COMPANY,INC.

Address:41-CHESTNUT STREET

Box:1687

City:GREENWICH

State:CT

ZIP:06830-5921

Country:US

Phone:203-531-5500

CAGE:33530

===== Composition/Information on Ingredients =====

--

Ingred Name:NON-HAZARDOUS INGREDIENTS (INERT)

Fraction by Wt: 1-20%

Other REC Limits:NONE SPECIFIED

Ingred Name:DIMETHYLPOLYSILOXANES

CAS:63148-62-9

RTECS #:JT6484500

Fraction by Wt: 80-99%

Other REC Limits:NONE SPECIFIED

===== Hazards Identification =====

LD50 LC50 Mixture:LD50 ORAL RAT IS > 40000 MG/KG

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE: EYE: MAY

CAUSE MILD IRRITATION.

CHRONIC: NONE KNOWN.

Explanation of Carcinogenicity:NONE SPECIFIED BY MANUFACTURER.

Effects of Overexposure:MAY CAUSE MILD EYE IRRITATION. NO OTHER EFFECTS KNOWN BY MANUFACTURER.

Medical Cond Aggravated by Exposure:NONE KNOWN

===== First Aid Measures =====

First Aid:EYES: FLUSH WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES AND GET MEDICAL ATTENTION IF IRRITATION PERSISTS. SKIN: WASH WITH SOAP AND WATER. INHALATION: N

ONE KNOWN. INGESTION: NONE KNOWN. NOTE TO PHYSICIAN: NONE KNOWN.

===== Fire Fighting Measures =====

Flash Point Method:PMCC

Flash Point:575F,302C

Extinguishing Media:ALL STANDARD FIREFIGHTING MEDIA.

Fire Fighting Procedures:NONE KNOWN

Unusual Fire/Explosion Hazard:SUPPLIER DID NOT ADDRESS THIS FIELD.

===== Accidental Release Measures =====

Spill Release Procedures:WIPE, SCRAPE, OR SOAK UP WITH INERT MATERIAL AND PUT IN A

CONTAINER FOR DISPOSAL. WASH WALKING SURFACES WITH

DETERGENT AND WATER TO REDUCE SLIPPING HAZARD.

Neutralizing Agent: NO INFORMATION GIVEN ON MSDS BY SUPPLIER

===== Handling and Storage =====

Handling and Storage Precautions: NONE KNOWN

Other Precautions: NONE

===== Exposure Controls/Personal Protection =====

Respiratory Protection: NONE KNOWN

Ventilation: NONE KNOWN

Protective Gloves: NONE KNOWN

Eye Protection: SAFETY GLASSES

Other Protective

Equipment: NONE KNOWN

Work Hygienic Practices: SUPPLIER DID NOT ADDRESS THIS FIELD. HMIS: USE
GOOD INDUSTRIAL HYGIENE PRACTICES.

Supplemental Safety and Health

NONE

===== Physical/Chemical Properties =====

HCC: V6

Boiling Pt: B.P. Text: >400F, >204C

Vapor Pres: NEG.

Vapor Density: NEG.

Spec Gravity: 0.97

Evaporation Rate & Reference: NEGL. (BUTYL ACETATE = 1)

Solubility in Water: INSOLUBLE

Appearance and Odor: CLEAR, ODORLESS LIQUID

Percent Volatiles by Volume: