

SPECTRUM CHEMICAL MFG CORP -- PETROLEUM ETHER ACS. -- 6810-00-051-5872

===== Product Identification =====

Product ID:PETROLEUM ETHER ACS.

MSDS Date:09/01/1993

FSC:6810

NIIN:00-051-5872

MSDS Number: BCWCX

=== Responsible Party ===

Company Name:SPECTRUM CHEMICAL MFG CORP

Address:14422 S SAN PEDRO STREET

City:GARDENA

State:CA

ZIP:90248-2027

Country:US

Info Phone Num:213-516-8000

Emergency Phone Num:800-424-9300

Preparer's Name:C.A. EISENHARD

CAGE:63415

=== Contra

ctor Identification ===

Company Name:CHEMICAL COMMODITIES AGENCY, INC.

Address:27447 PACIFIC STREET

Box:City:HIGHLAND

State:CA

ZIP:92346-2640

Country:US

Phone:909-864-2310

CAGE:60777

Company Name:SPECTRUM LABORATORY PRODUCTS INC

Address:14422 S SAN PEDRO ST

Box:City:GARDENA

State:CA

ZIP:90248-2027

Country:US

Phone:310-516-8000/FAX: 310-516-9843

CAGE:63415

===== Composition/Information on Ingredients =====

Ingred Name:NAPHTA (PETROLEUM SPIRITS OR BENZIN)

CAS:8030-30-6

RTECS #:

DE3030000
Other REC Limits:100 PPM
OSHA PEL:100 PPM

===== Hazards Identification =====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.
Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:HAZARDOUS LIQUID AND VAPOR MAY CAUSE
HEMORRHAGES INTO VITAL ORGANS. INHALATION: INTOXICATION, HEADACHE,
NAUSEA, COMA. INGESTION: NAUSEA, DIARRHEA, DROWSINESS, PULMONARY
EDE
MA, BURNING SENSATION.
Explanation of Carcinogenicity:NONE
Effects of Overexposure:INHALATION: INTOXICATION, HEADACHE, NAUSEA,
COMA. INGESTION: NAUSEA, DIARRHEA, DROWSINESS, PULMONARY EDEMA,
BURNING SENSATION.
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

===== First Aid Measures =====

First Aid:EYES: FLUSH THOROUGHLY WITH WATER, SEEK IMMEDIATE MEDICAL
ATTENTION. SKIN: FLUSH WITH WATER; WASH WITH SOAP AND WATER. GET
ME
DICAL ATTENTION FOR PERSISTANT IRRITATION. INHALATION: CALL A
PHYSICIAN & R EMOVE TO FRESH AIR. INGESTION: DO NOT INDUCE
VOMITING; GET MEDICAL ATTENTION AT ONCE.

===== Fire Fighting Measures =====

Flash Point Method:TCC
Flash Point:=-45.6C, -50.F
Lower Limits:1.1
Upper Limits:5.9
Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL, ALCOHOL FOAM.
Fire Fighting Procedures:WEAR NIOSH APPROVED FULL PROTECTIVE CLOTHING
AND SELF-CONTAINED BREATHING APPARATU
S. KEEP CONTAINERS COOL WITH
WATER SPRAY TO PREVENT RUPTURE & RELEASE.
Unusual Fire/Explosion Hazard:CONFINED MATERIAL MAY EXPLODE UPON
HEATING

===== Accidental Release Measures =====

Spill Release Procedures:ELIMINATE IGNITION SOURCES; VENTILATE AREA;
ABSORB EXCESS AND EVAPORATE IN HOOD.

===== Handling and Storage =====

Handling and Storage Precautions:KEEP CONTAINER TIGHTLY CLOSED. STORE
IN A COOL, WELL-VENTILAT

ED AREA AWAY FROM SOURCES OF IGNITION.

Other Precautions:CLEAN SAFETY EQUIPMENT AND AREA THOROUGHLY AFTER USE.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:WEAR APPROVED RESPIRATOR OR SELF-CONTAINED BREATHING APPARATUS IF NECESSARY.

Ventilation:LOCAL/GENERAL TO MAINTAIN ADEQUATE VENTILATION (BELOW TLV/PEL)

Protective Gloves:IMPERVIOUS OR NEOPRENE.

Eye Protection:CHEMICAL SAFETY GOGGLES

Other Protective Equipment:PROTECTIVE CLOTHING/APRON TO MINIMIZE SKIN CONTACT.

Work Hygienic Practices:WASH HANDS AND FACE THOROUGHLY BEFORE EATING, DRINKING, SMOKING, ETC. DO NOT BREATHE VAPORS. DO NOT GET IN EYES/ON SKIN.

Supplemental Safety and Health

USE CAUTION WHEN HANDLING OR CLEANING EMPTY CANS.

===== Physical/Chemical Properties =====

HCC:F1

Melt/Freeze Pt: