View NSN Online: https://aerobasegroup.es/nsn/8040-00-053-8452 FULLER, H.B. CO. -- N-6505 ADHESIVE -- 8040-00-053-8452 ============ Product Identification ========================= Product ID:N-6505 ADHESIVE MSDS Date:02/14/1986 FSC:8040 NIIN:00-053-8452 MSDS Number: BCWFZ === Responsible Party === Company Name: FULLER, H.B. CO. Address:1200 WOLTERS BOULEVARD City: VADNIS HEIGHTS State:MN ZIP:55110 Country:US Info Phone Num:612-481-3300 Emergency Phone Num:612-481-3300 Preparer's Name: JOHN R. DOLMAR, CIH CAGE:JO897 === Contractor Identification === Company Name: FULLER H B CO Address:2400 KASOTA AVE Box:City:ST PAUL State:MN ZIP:55108-1511 Country:US Phone:612-645-3401 CAGE:92528 Company Name: FULLER, H.B. CO. Address:1200 WOLTERS BOULEVARD Box:City:VADNIS HEIGHTS State:MN ZIP:55110 Country:US

======= Composition/Information on Ingredients ========

Ingred Name: NO INGREDIENT FOR THIS FORMULATION_INGREDIENT

Phone:612-481-3300

====== Hazards Id

CAGE:JO897

entification ===========
LD50 LC50 Mixture:N/K Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:CHRONIC:NO ANTICIPATED EFFECTS.ACUTE:SEE SIGNS & SYMPTOMS OF OVEREXPOSURE.MONOMER VAPORS RELEASED INTO THE WORKPLACE ATMOSPHERE WHEN EMULSIONS ARE HEAT CURED OR DRIED MAY PRESENT A HEALTH PROBLEM IF G OOD VENTILATION IS NOT USED. Explanation of Carcinogenicity:N/K
Effects of Overexposure:EYES:IRRITATION FROM CONTACT.SKIN:IRRITATION
FROM PROLONGED OR REPEATED CONTACT WITH LIQUID PRODUCT.INGESTION:N/K;INHALATION:N/K . Medical Cond Aggravated by Exposure:N/K
======================================
First Aid:EYES:FLUSH IMMEDIATELY WITH LARGE AMOUNTS OF WATER FOR AT LEAST 15 MINUTES.CONSULT PHYSICIAN IF IRRITATION PERSISTS.SKIN:WASH CONTACT AREA WITH SOAP AND WATER.INHALATION:REMOVE TO FRESH AIR.INGESTION: CALL MD IMMEDIATELY.
======================================
Extinguishing Media:DRIED PRODUCT:WATER SPRAY,FOAM,DRY CHEMICAL,CARBON DIOXIDE.LIQUID MATERIAL:NON-FLAMMABLE. Fire Fighting Procedures:USE NIOSH/MSHA APPROVED SCBA & FULL PROTECTIVE EQUIPMENT .USE WATER SPRAY TO COOL CONTAINERS. Unusual Fire/Explosion Hazard:POSSIBLE PRESS BUILD-UP IN CLOSED CNTNRS WHEN HEATED.COOL W/ WATER SPRAY.HAZ COMBUSTION PROD (INCOMPLETE COMBUSTION):LOW MOLECULAR WT HYDROCARBONS & CO.
========== Accidental Release Measures === ================================
Spill Release Procedures:CONTAIN AND REMOVE WITH INERT ABSORBENT.KEEP SPILL OUT OF SEWERS. Neutralizing Agent:N/K
======================================

Handling and Storage Precautions:BULK STORAGE TANKS:VENT WITH HUMIDIFIED AIR.COMPLETE PROCEDURES FOR CONFINED SPACE ENTRY BEFORE WORKING IN BULK STORAGE TANK.

Other Precautions:IN STORAGE,MONOMER MIGRATES FROM EMULSION AND ESTABLISHES EQUILIBRIUM IN CONTAINER HEADSPACE.IN NON-VENTE

D

HEADSPACES ABOVE EMULSION, ACCUMULATED LEVELS MAY EXCEED ACCEPTABLE EXPOSURE.

====== Exposure Controls/Personal Protection ========

Respiratory Protection:NIOSH/MSHA APPROVED RESPIRATOR APPROPRIATE FOR EXPOSURE OF CONCERN .

Ventilation: EACH SITUATION MUST BE EVALUATED BASED UPON EXPOSURE OF CONCERN . STANDARD INDUSTRIAL VENTILATION.

Protective Gloves: RUBBER, FOR PRLNG/RPTD CONTACT.

Eye Protection: CHEMICAL WORKERS GOGGLES.

Other Protective Equipment: N/K.

Work Hygi

enic Practices:REMOVE CONTAMINATED CLOTHING AND LAUNDER BEFORE REUSE.

Supplemental Safety and Health

% VOLATILE BY WT:58.WT/GAL:8.7 LBS.

======== Physical/Chemical Properties ===========

HCC:N1

Boiling Pt:B.P. Text:>200F,93C Melt/Freeze Pt:M.P/F.P Text:N/K Decomp Temp:Decomp Text:N/K

Vapor Pres:N/K Vapor Density:N/K Spec Gravity:1.0457

0.2:Ha

Evaporation Rate & Evaporation R

Solubility in Water:N/K Appearance and Odor:N/K

Stability Indicator/Materials to Avoid:YES

NOT ESTABLISHED.

Hazardous Decomposition Products:INCOMPLETE COMBUSTION CAN YIELD LOW MOLECULAR WEIGHT HYDROCARBONS AND CARBON MONOXIDE.

Conditions to Avoid Polymerization: WILL NOT OCCUR.

====== Disposal Considerations ==========

Waste Disposal Methods:DISPOSAL MUST BE IN ACCORDANCE WITH FEDERAL,STATE AND LOCAL REGULATIONS .SOLIDFY BEFORE DISPOSAL. THIS PRODUCT DOES NOT MEET DEFINI

TION OF HAZARDOUS WASTE UNDER 40 CFR 261(MFR).

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitabil ity of this information to their particular situation.