NIIN:00-054-5023

MSDS Number: BCWHR === Responsible Party ===

Company Name: BORDEN CHEMICAL Emergency Phone Num: 614-457-5200

CAGE:86142

=== Contractor Identification ===

Company Name: BORDEN CHEMICAL CO

Address:180 E BROAD ST Box:City:COLUMBUS

State:OH

ZIP:43215-3705 Country:US

Phone:614-225-6124

CAGE:86142 Company

Name: MILITARY SPECIFICATIONS PROMULGATED BY MILITARY

Address: DEPTS/AGENCIES UNDER AUTH OF DEF STD

Box:MANUAL City:4120 3-M

Phone:804-279-4371 DSN 695-4371

CAGE:81349

======= Composition/Information on Ingredients ========

Ingred Name:PHENOL

CAS:108-95-2

RTECS #:SJ3325000 Fraction by Wt: 5% OSHA PEL:S, 5 PPM

ACGIH TLV:S, 5 PPM; 8990 EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS

Ingred Name: RESORCINOL (SARA III)

CAS:108-46-3

RTECS #:VG9625000 Fraction by Wt: 5%

OSHA PEL:10 PPM/20 STEL

Ingred Name: METHYL ALCOHOL (METHANOL) (SARA III) CAS:67-56-1 RTECS #:PC1400000 Fraction by Wt: 15% OSHA PEL:S,200PPM/250STEL ACGIH TLV:S,200PPM/250STEL; 93 EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS ============= Hazards Identification ======================== Effects of Overexposure: EYE, NOSE, THROAT AND SKIN IRRITATION. First Aid:INHALATION:RE MOVE TO FRESH AIR.ORAL-INDUCE VOMITING-GIVE A TSP OF SALT IN WARM WATER, REPEAT UNTIL VOMIT FLUID IS CLEAR. GIVE MILK OR BEATED EGG WHITE W/WATER. CALL DR. EXTERNAL-WASH W/SOAP AND WATER. E YES-FLUSH W/WATER FOR 15 MIN. Flash Point:122 F SCC 50 C Extinguishing Media:CO\*2,FOAM-DRY CHEMICAL Fire Fighting Procedures: WEAR SELF-CONTAINED BREATHING APPARATUS. Unusual Fire/Explosion Hazard: EVOLVES METHANOL VAPORS WHEN BURN ED. ======== Accidental Release Measures ============ Spill Release Procedures: SWEEP UP AND DISCARD ============ Handling and Storage =========================== Handling and Storage Precautions: KEEP CONTAINERS CLOSED ====== Exposure Controls/Personal Protection ======== Respiratory Protection: AVOID BREATHING DUST OR VAPORS USE SELF CONTAINED BREATHING APPARATU Ventilation:MECHANICAL Protective Gloves: RECOMMENDED Eye Protection: YES-AVOID EYE CONTAC

ACGIH TLV:10 PPM/20 STEL; 9192

EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

Т
Supplemental Safety and Health
======================================
HCC:F4
Vapor Pres:35C
Evaporation Rate & Description Rate & Reference: SLOWER THAN ETHER
Percent Volatiles by Volume:50
======== Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES
OXIDIZING MATERIALS
Stability Condition to Avoid:HIGH TEMPERATURE STORAGE AND OPEN CONTAINERS
Hazardous Decomposition Products:FORMALDEHYDE GAS
Conditions to Avoid Polymerizat
ion:CONTACT WITH STRONG MINERAL ACIDS
====== Disposal Considerations ==========
Waste Disposal Methods:LAND FILL
Disclaimer (provided with this information by the compiling agencies):

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document shoul

d seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.