FSC:7930

NIIN:00-056-7874

MSDS Number: BCWKN === Responsible Party ===

Company Name: AIRWICK INDUSTIRES, INC

Address:111 COMMERCE RD

City:CARLSTADT

State:NJ ZIP:07072

Info Phone Num:(201) 933-8200

Emergency Phone Num:(201) 933-8200

CAGE:JO910

=== Contractor Identification

===

Company Name: AIRWICK INDUSTIRES, INC

Address:111 COMMERCE RD

City:CARLSTADT

State:NJ ZIP:07072

Phone:(201) 933-8200

CAGE:JO910

Company Name: AIRWICK INDUSTRIES INC

Address:1655 VALLEY RD

Box:941 City:WAYNE State:NJ

ZIP:07474-0941 Country:US

Phone:201-633-2778

CAGE:7L847

====== Composition/Information on Ingredients ========

Ingred Name:STODDARD SOLVENT

CAS:8052-41-3

RTECS #:WJ8925000 Fraction by Wt: 65% OSHA PEL:500 PPM

ACGIH TLV:100 PPM; 9293

====== Hazards I

dontification
dentification ============
Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:INGESTION: LOCAL IRRITATION, VOMITING, DIARRHEA, DROWSINESS, RAPID BREATHING. ASPIRATION MAY OCCUR. EYES: IRRITANT. SKIN MAY CAUSE IRRITATION ON PROLONGED CONTACT. INHALATION: RESPIRATORY IRRITATION, HEADACHE, DIZZINESS, NAUSEA, STUPOR. Explanation of Carcinogenicity:NONE Effects of Overexposure:INHAL ATION: RESPIRATORY IRRITATION, HEADACHE, DIZZINESS, NAUSEA, STUPOR. EYES: IRRITANT. SKIN: MAY CAUSE
IRRITATION ON PROLONGED CONTACT.
======================================
First Aid:EYES: FLUSH WITH WATER FOR 15 MIN. SKIN: WASH WITH SOAP AND WATER. INHALATION: REMOVE TO FRESH AIR. GIVE ARTIFICIAL RESPIRATORY IF NECESSARY. INGESTION: DON'T INDUCE VOMITING. GIVE WATER. CALL PHYSICI AN.
======================================
Flash Point Method:SCC Flash Point:105F Extinguishing Media:FOAM, DRY CHEMICAL, CO2, WATER SPRAY. USE OF A DIRECT STREAM OF WATER CAN SPREAD BURNING LIQUID. Fire Fighting Procedures:NONE Unusual Fire/Explosion Hazard:NONE
======== Accidental Release Measures ==========
Spill Release Procedures:ELIMINATE SOURCES OF HEAT OR IGNITION. PROVIDE ADEQUATE VENTILATION. PICK UP EXCESS WITH ABSORBENT MATERIAL & PUT IN DISPOSABLE CONTAINER.
=======================================
= Handling and Storage ==============
Handling and Storage Precautions:STORE AT AMBIENT TEMPERATURE. KEEP CONTAINER CLOSED WHEN NOT IN USE. STORE AWAY FROM HEAT, FLAME, SOURCES OF IGNITION. COMBUSTIBLES
====== Exposure Controls/Personal Protection =======
Protective Gloves:IMPERVIOUS Eye Protection:SAFETY GLASSES Supplemental Safety and Health
========= Physical/Chemical Properties ==========
HCC:N1

HCC:N1 Boiling Pt:B.P. Text:318F Spec Gravity:0. 97

Solubility in Water: INSOLUBLE

Appearance and Odor: TAN WITH AMMONIA ODOR.

Percent Volatiles by Volume: 70%

======== Stability and Reactivity Data ==========

Stability Indicator/Materials to Avoid:YES

OXIDIZERS, OXYGEN, STRONG OXIDIZING ACIDS, NITRIC & SULFURIC.

Stability Condition to Avoid:HEAT, SPARK, OPEN FLAME, SOURCES OF IGNITION.

Hazardous Decomposition Products:CO, CO2

======= Disposal Considerations ===========

Waste Disposal Methods:DIS
CARD ACCORDING TO LOCAL, STATE & FEDERAL
REGULATION.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the su itability of this information to their particular situation.