

UNION CARBIDE CORP -- ARGON (HIGH PRESSURE GAS) -- 6830-00-066-1677

===== Product Identification =====

Product ID:ARGON (HIGH PRESSURE GAS)

MSDS Date:01/01/1987

FSC:6830

NIIN:00-066-1677

MSDS Number: BCXBL

=== Responsible Party ===

Company Name:UNION CARBIDE CORP

Address:39 OLD RIDGEBURY RD

City:DANBURY

State:CT

ZIP:06817-0001

Country:US

Emergency Phone Num:304-744-3487

CAGE:36346

=== Contractor Identification ===

Company Name:UNION CARBIDE CORP LINDE DIV

Ad

dress:39 OLD RIDGEBURY RD

Box:City:DANBURY

State:CT

ZIP:06817-0001

Country:US

Phone:800-822-4357; 304-744-3487

CAGE:36346

===== Composition/Information on Ingredients =====

Ingred Name:ARGON

CAS:7440-37-1

RTECS #:CF2300000

Fraction by Wt: 100%

ACGIH TLV:ASPHYXIAN; 9192

===== Hazards Identification =====

Effects of Overexposure:ASPHYXIATION.

===== First Aid Measures =====

First Aid:IF INHALED, REMOVE

TO FRESH AIR. IF NOT BREATHING, GIVE
ARTIFICIAL RESPIRATION. IF BREATHING IS DIFFICULT, GIVE OXYGEN.
CALL A PHYSICIAN. KEEP WARM AND AT REST.

===== Fire Fighting Measures =====

Extinguishing Media:ARGON CANNOT CATCH FIRE. USE MEDIA APPROP. FOR
SURR. AREA.

Fire Fighting Procedures:IMMEDIATELY DELUGE CONTAINERS W/ WATER UNTIL
COOL.

Unusual Fire/Explosion Hazard:GAS CANNOT CATCH FIRE. CONTAINER MAY
RUPTURE DUE TO HEAT OF FIRE.

=====

=== Accidental Release Measures =====

Spill Release Procedures:EVACUATE ALL PERSONNEL FROM DANGER AREA. USE
SCBA WHERE NEEDED. SHUT OFF LEAK IF WITHOUT RISK. VENTILATE AREA OF
LEAK OR MOVE LEAKING CONTAINER TO WELL-VENTILATED AREA. TEST AREA
FOR SUFFICIENT O₂ BEFORE REENTRY.

===== Handling and Storage =====

Handling and Storage Precautions:CAUTION: HIGH PRESSURE GAS. CAN CAUSE
RAPID SUFFOCATION DUE TO OXYGEN DEFICIENCY. STORE
AND USE WITH
ADEQUATE VENTILATION.

Other Precautions:CLOSE VALVE WHEN NOT IN USE AND WHEN EMPTY. DO NOT
STRIKE ARC ON CYLINDER. DO NOT GROUND CYLINDER.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:SELF-CONTAINED BREATHING APPARATUS WHERE NEEDED.

Ventilation:LOCAL EXHAUST PREFERRED; MECHANICAL-ADEQUATE

Eye Protection:SAFETY GLASSES

Other Protective Equipment:METATARSELS SHOES FOR CYLINDER HANDLING.

Supplemental Safety and Health

LINDE DIVISION,

270 PARK AVENUE, NEW YORK, N.Y. 10017.

===== Physical/Chemical Properties =====

HCC:G3

Boiling Pt:B.P. Text:-303F,-185C

Vapor Pres:20

Vapor Density:1.38

Spec Gravity:1.38

Solubility in Water:NEGLIGIBLE

Appearance and Odor:COLORLESS, ODORLESS

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

INERT

===== Disposal Considerations =====

Waste Disposal Methods:SLOWLY RELEASE

INTO ATMOSPHERE OUTDOORS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.