

NORRIS PAINT CO., DIV WHITTAKER COATINGS -- PAINT, TRAFFIC & AIRFIELD MARKING --
8010-00-082-2598

===== Product Identification =====

Product ID:PAINT, TRAFFIC & AIRFIELD MARKING

MSDS Date:01/01/1987

FSC:8010

NIIN:00-082-2598

MSDS Number: BCYBM

=== Responsible Party ===

Company Name:NORRIS PAINT CO., DIV WHITTAKER COATINGS

Address:1675 COMMERCIAL ST NE

Box:2023

City:SALEM

State:OR

ZIP:97308

Country

:US

Info Phone Num:503-364-2277

Emergency Phone Num:503-364-2277

CAGE:33148

=== Contractor Identification ===

Company Name:NORRIS PAINT CO., DIV WHITTAKER COATINGS

Address:1675 COMMERCIAL ST NE

Box:2023

City:SALEM

State:OR

ZIP:97308

Country:US

Phone:503-364-2277

CAGE:33148

===== Composition/Information on Ingredients =====

Ingred Name:ALKYD RESIN SOLUTION

RTECS #:VG7110000

Fraction by Wt: 29%

ACGIH TLV:400PPM

Ingred Name:ALUMINUM SILICATE (AS NUISANCE DUST OR PARTICULATES NO

T

OTHERWISE REGULATED)

CAS:1302-76-7

RTECS #:BD1450000

Fraction by Wt: 29%

OSHA PEL:15 MG/M3 TOTAL DUST

ACGIH TLV:10 MG/M3 TDUST;8990

Ingred Name:CALCIUM CARBONATE (MARBLE) (LIMESTONE)

CAS:1317-65-3

RTECS #:EV9580000

Fraction by Wt: 14%

OSHA PEL:15 MG/M3 TDUST

ACGIH TLV:10 MG/M3 TDUST; 9192

Ingred Name:PETROLEUM NAPHTHA

Fraction by Wt: 9%

ACGIH TLV:375 PPM

Ingred Name:LEAD CHROMATE YELLOW PIGMENT

Fraction by Wt: 3%

ACGIH TLV:.015 MG/CUM

=====
Hazards Identification
=====

Effects of Overexposure:INHAL OF HI CONCENTR OF VAPS MAY CAUS MILD ANEST, HDACH, NAUSEA, & DIZZ,POSS UNCONCIOUS & EVN (SUPP)

=====
First Aid Measures
=====

First Aid:ON SKIN:THOROUGHLY WASH EXPOS AREA W/SOAP & WATER. IN EYES:FLUSH W/LG AMTS.OF WATER-GET MEDICAL ATTN. IF SWALLOWED:DO NOT INDUCE VOMITING, KEEP PERSN WARM,QUIET, & GET MEDICAL ATTN. IF BREATHED:IF AFF ECT,REMOV PERSN TO FRESH AIR.IF BREATH STOP,GIV(SU

=====
Fire Fighting Measures
=====

Flash Point:25F TCC -4 TCC

Lower Limits:1

Upper Limits:6

Extinguishing Media:DRY CHEMICAL OR ALCOHOL FOAM.

Fire Fighting Procedures:USE WATER TO COOL FIRE EXPOS SURFACES & PROTCT FIRE FIGHTING

Unusual Fire/Explosion Hazard:TOXIC FUMES MAY BE LIBERATED. RESPIRATING PROTECTION REQD FOR FIRE GIHTING PERSONNEL.

=====
Accidental Release Measures
=====

Spill Release Procedures:REMOVE ALL SOURCES OF IGN

ITION & PROVIDE

THOROUGH VENTILATION.SMALL SPILLS MAY BE PICKED UP W/ABSORBENT MATERLS.LG SPILLS SHOULD BE DIKED THEN PUMPED OR SCOOPED W/NON-SPARKINTOOLS INTO CLOS CONTNRS.RA GS & ABSORB MATRLS SHOULD BE IMMERSSED IN WATER.

==== Handling and Storage =====

Handling and Storage Precautions:KEEP CONTNRS CLOSED. AVOID DIRECT HEAT,OPEN FLAME, OR SPARK SOURCES.GROUND CONTNRS WHEN POURING & LIMIT FRE FALL TO MINIMIZE STATIC CHRГ BUILD UP.

Ot her Precautions:USE ONLY W/ADEQUATE VENTILATION.

==== Exposure Controls/Personal Protection =====

Respiratory Protection:NIOSH APPRVD AIR SUPPL RESPIRATIF TLV OF PRODCT EXCEEDED.

Ventilation:PROVID SUFFICIENT MECH VENT TO MAINTN EXPOSР BELOW TLV.

Protective Gloves:IMPERMEABLE

Eye Protection:SAFTY GLASSES/CHEM SPLASH

Supplemental Safety and Health

EFFECTS OVEREXPOSР:ASPHYXIATION.LIQUID-IRRIT. TO SKN.EYE CONTCT-SEVERE IRRIT, REDNESS, TEARED,BLURRED VISION.INGEST:NAUSEA ,VOMIT,DIARRHEA.

EMERG:ARTIFICIAL RESPIRATION & GET MED. ATTN.

==== Physical/Chemical Properties =====

HCC:F2

Boiling Pt:B.P. Text:250F 120C

Vapor Density:4.5

Spec Gravity:1.5

Evaporation Rate & Reference:BUTYL ACETATE 3.8

Solubility in Water:INSOLUBLE

Appearance and Odor:YELLOW-OPAQUE LIQUID W/PETROLEUM ODOR.

Percent Volatiles by Volume:46

==== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES STRON

G OXIDANTS, ACIDS & BASES.

Stability Condition to Avoid:HIGH TEMPS OR DIRECT HEATING

Hazardous Decomposition Products:CO*2, CO & POSSIBLY ACROLEIN GAS

===== Disposal Considerations =====

Waste Disposal Methods:WASTE MUST BE DISPOSED OF ACCORDING TO HAZARDOUS
WASTE LAWS

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no
manner whatsoever,

expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.