

ZEBRA CORPORATION -- TT-P-85D PAINT TRAFFIC -- 8010-00-082-2598

=====  
Product Identification  
=====

Product ID:TT-P-85D PAINT TRAFFIC

MSDS Date:01/01/1985

FSC:8010

NIIN:00-082-2598

MSDS Number: BCYBN

=== Responsible Party ===

Company Name:ZEBRA CORPORATION

Country:US

Emergency Phone Num:404 873-2531

CAGE:KO023

=== Contractor Identification ===

Company Name:ZEBRA CORPORATION

Country:US

CAGE:KO023

=

=====  
Composition/Information on Ingredients  
=====

Ingred Name:SOLVENTS

Fraction by Wt: 38.1%

ACGIH TLV:275 PPM

Ingred Name:VEHICLE

Fraction by Wt: 21.0%

Ingred Name:PIGMENTS

Fraction by Wt: 50.9%

=====  
Hazards Identification  
=====

Effects of Overexposure:DRYING OF SKIN. EYE IRRITATION. EXCESSIVE  
INHALATION MAY CAUSE HEADACHE, DIZZINESS, NAUSEA.

=====  
First Aid Measures  
=====

First Aid:INHALATION:

REMOVE TO FRESH AIR, APPLY ARTIFICIAL RESPIRATION  
IF NECESSARY, CALL A PHYSICIAN. SKIN CONTACT: WASH WITH MILD SOAP  
AN WATER, APPLY A MILD SKIN CREAM, IN SEVERE CASES CONTACT A  
PHYSICIAN. EYE CONTACT: FLUSH WITH WATER.

=====  
===== Fire Fighting Measures =====

Flash Point:50F TCC  
Lower Limits:0.9  
Upper Limits:6  
Extinguishing Media:FOAM, CO2, DRY CHEMICAL, WATER SPRAY  
Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS  
Unusual Fire/Explosion  
Hazard:WATER MAY BE UNSUITABLE EXCEPT AS A  
COOLING MEDIUM.

=====  
===== Accidental Release Measures =====

Spill Release Procedures:FLUSH WITH WATER INTO RETAINING AREA OR  
CONTAINER. AVOID SPARKS, FIRE OR HOT METAL SFACES. SMALL QUANTITIES  
MAY BE ABSORBED ONTO AN APPROPRIATE ABSORBANT.

=====  
===== Handling and Storage =====

Handling and Storage Precautions:KEEP COOL AND AWAY FROM SOURCES OF  
IGNITION. USE WITH ADEQUATE VENTILATI  
ON. AVOID PROLONGED OREPEATED  
PERSONAL CONTACT.

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:CARTRIDGE RESPIRATOR OR GAS MASK  
Ventilation:LOCAL EXHAUST: WHATEVER IS SUFFICIENT TO KEEP WORKROOM  
Protective Gloves:IMPERMEABLE  
Eye Protection:CHEMICAL GOGGLES  
Other Protective Equipment:APRON, BARRIER CREAM  
Supplemental Safety and Health  
ZEBRA CORPORATION 698 ECHO STREET ALTANTA, GEORGIA 30318

=====  
===== Physical/Chemical Properties =====

=====

HCC:F2

Boiling Pt:B.P. Text:250-300

Vapor Pres:68F

Vapor Density:4.1

Spec Gravity:1.42

Evaporation Rate & Reference:1.0

Solubility in Water:NEGLIGIBLE

Appearance and Odor:OPAQUE LIQUID-MILD PETROLEUM AROMA

Percent Volatiles by Volume:45.2

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS

Stability Condition to Avoid:HEAT, SPARKS, OPEN FLAME FIRE

Hazardous Decomposition Products:THERMAL DECOMP

OSITION MAY YIELD CARBON

MONOXIDE AND DIOXIDE.

===== Disposal Considerations =====

Waste Disposal Methods:INCINERATE UNDER SAFE CONDITIONS OR DISPOSE OF  
IN ACCORDANCE WITH APPLICABLE LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, war

rants this information to be accurate and

disclaims all liability for its use. Any person utilizing this

document should seek competent professional advice to verify and

assume responsibility for the suitability of this information to their

particular situation.