

DEFT,INC -- 03Y31CAT, YELLOW, 13655 -- 8010-00-138-1760

=====  
Product Identification  
=====

Product ID:03Y31CAT, YELLOW, 13655

MSDS Date:01/01/1987

FSC:8010

NIIN:00-138-1760

Kit Part:Y

MSDS Number: BDBHT

=== Responsible Party ===

Company Name:DEFT,INC

Address:17451 VON KARMAN AVE

City:IRVINE

State:CA

ZIP:92714-6205

Country:US

CAGE:KO193

=== Contractor Identification ===

Company Name:DEFT, INC.

Add

ress:17451 VON KARMAN AVE

City:IRVINE

State:CA

ZIP:92614

Country:US

Phone:949-474-0400

CAGE:33461

Company Name:DEFT,INC

Address:17451 VON KARMAN AVE

City:IRVINE

State:CA

ZIP:92714-6205

Country:US

CAGE:KO193

=====  
Composition/Information on Ingredients  
=====

Ingred Name:CELLOSOLVE ACETATE

RTECS #:FJ4375000

Fraction by Wt: 10%

ACGIH TLV:5PPM

Ingred Name:BIURET OF 1.6 HEXAMETHYLENE DIISOCYANATE

Fraction by Wt: 30%

ACGIH TLV:0.02PPM

Ingred Name:N-BUTYL ACETATE

RTECS #:EO0720000

Fraction by Wt: 5%  
ACGIH TLV:150PPM

Ingred Name:XYLENES (O-,M-,P- ISOMERS) (SARA III)  
CAS:1330-20-7  
RTECS #:ZE2100000  
Fraction by Wt: 5%  
OSHA PEL:100 PPM/150 STEL  
ACGIH TLV:100 PPM/150STEL;9192  
EPA Rpt Qty:1000 LBS  
DOT Rpt Qty:1000 LBS

Ingred Name:METHYL ETHYL KETONE (2-BUTANONE) (MEK) (SARA III)  
CAS:78-93-3  
RTECS #:EL6475000  
Fraction by Wt: 45%  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:200 PPM  
ACGIH TLV:200 PPM/300STEL;9394  
EPA Rpt Qty:5000 LBS  
DOT Rpt Qty:5000 LBS

=====  
Hazards Identification =====

Effects of  
Overexposure: IHALATION: HEADACHE, DIZZINESS, UNCONSCIOUSNESS. EYE AND SKIN IRRITATION. ALLERGIC SENSITIVITY.

=====  
First Aid Measures =====

First Aid: INHALATION: REMOVE FROM EXPOSURE; KEEP WARM AND QUIET. NOTIFY A PHYSICIAN. EYES: 15 MINUTE WATER FLUSH. SKIN: REMOVE CONTAMINATED CLOTHING. WASH SKIN WITH WATER.

=====  
Fire Fighting Measures =====

Flash Point: 24F,  
-4C TCC  
Lower Limits: 1.0  
Extinguishing Media: FOAM, CO\*2, DRY CHEMICAL, WATER FOG  
Fire Fighting Procedures: SELF CONTAINED BREATHING APPAR. WATER FOG TO COOL CONTAINERS.  
Unusual Fire/Explosion Hazard: ISOLATE FROM SOURCES OF IGNITION, EXTREME HEAT. KEEP CONTAINERS TIGHTLY CLOSED. HOT SURFACES CAUTION

=====  
Accidental Release Measures =====

Spill Release Procedures: REMOVE ALL SOURCES OF IGNITION. AVOID BREATHING VAPOR. CONTAIN AND REMOVE WITH INERT ABSORBENT AND NON-

SPARKING  
TOOLS.

=====  
Handling and Storage  
=====

Handling and Storage Precautions:STORE IN BUILDINGS IN ACCORDANCE WITH  
OSHA 1910.106.AVOID STORAGE NEAR HIGH TEMPERATURES,SOURCES OF  
MOISTURE.

Other Precautions:KEEP CONTAINERS TIGHTLY CLOSED.VENTILATE AREA.AVOID  
BREATHING VAPOR.

=====  
Exposure Controls/Personal Protection  
=====

Respiratory Protection:OSHA 29 CFR 1910.134.NIOSH MIST,VAPOR.AIR LINE  
RESPIRATOR,HOOD.

Ventilation:IN ACCORDANCE WITH OSHA 29 CFR 1910.134.VENT HEAT FUMES.

Protective Gloves:RUBBER,PLASTIC

Eye Protection:SAFETY SHIELDED EYEWEAR.

Other Protective Equipment:LONG SLEEVE,LEGGED CLOTHING.

Supplemental Safety and Health

SEE COMPONENT II-8010001381760.KEY1:F3.

=====  
Physical/Chemical Properties  
=====

HCC:F2

Boiling Pt:B.P. Text:175F,79C

Vapor Density:>AIR

Evaporation Rate & Reference:SLOWER THAN ETHER

Percent Volatiles by Volume:75

=====  
Stability  
and Reactivity Data  
=====

Stability Indicator/Materials to Avoid:YES

MOISTURE,ALCOHOL,AMINES,STRONG BASES,METAL COMPOUNDS

Stability Condition to Avoid:CONTACT WITH MOISTURE,HIGH  
TEMPERATURES,SOURCES OF IGNITION

Hazardous Decomposition Products:CO\*2,CO,NO\*,HGN,HDI

Conditions to Avoid Polymerization:MAY OCCUR @ ELEVATED TEMP.

=====  
Disposal Considerations  
=====

Waste Disposal Methods:IN ACCORDANCE WITH LOCAL,STATE AND FEDERAL  
REGULATIONS.INCI

NERATE IN APPROVED FACILITY.DO NOT INCINERATE  
CLOSED CONTAINERS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.