

GENERAL ELECTRIC CO., SILICONE PRODUCTS DEPT. -- RTV-9858 CATALYST MIL-S-23586 TYI --  
8030-00-142-9133

===== Product Identification =====

Product ID:RTV-9858 CATALYST MIL-S-23586 TYI

MSDS Date:01/01/1985

FSC:8030

NIIN:00-142-9133

MSDS Number: BDBRZ

=== Responsible Party ===

Company Name:GENERAL ELECTRIC CO., SILICONE PRODUCTS DEPT.

Emergency Phone Num:(518) 237-3330

CAGE:01139

=== Contractor Identification ===

Company Name:GENERAL ELECTRIC CO, SILICONE PRODUCT  
S BUSINESS DEPT

Address:260 HUDSON RIVER RD

Box:City:WATERFORD

State:NY

ZIP:12188

Country:US

Phone:518-237-3330/800-332-3390

CAGE:01139

===== Composition/Information on Ingredients =====

Ingred Name:DIBUTYL TIN DILAURATE (AS TIN)

CAS:77-58-7

RTECS #:WH7000000

Fraction by Wt: 5.0%

OSHA PEL:S, 0.1 MG/M3

ACGIH TLV:S, 0.1 MG/M3; 8990

Ingred Name:BENZOTRIAZOLE

CAS:95-14-7

RTECS #:DM1225000

Fraction by Wt: 0.1%

===== Hazards Identification =====

Effects of Overexposure:SKIN & EYE IRRITATION MAY OCCUR WITH SOME  
INDIVIDUALS

===== First Aid Measures =====

First Aid:SKIN: WASH W/ MILD SOAP & WATER & APPLY SKIN CREAM. EYE:  
FLUSH W/ WATER FOR 15 MIN. IF IRRIT PERSISTS, CONSULT DOCTOR.  
INGEST: INDUCE VOMIT & CALL PHYSICIAN.

===== Fire Fighting Measures =====

Flash Point:>400F

Extinguishing Media:ALL STANDARD FIRE FIGHTING AGENTS ARE SUITABLE

=====

===== Accidental Release Measures =====

Spill Release Procedures:WIPE OR SCRAPE UP SPILLS & PLACE IN A  
CONTAINER FOR DISPOSAL.

===== Handling and Storage =====

Handling and Storage Precautions:NONE

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE REQ'D

Ventilation:ADEQUATE

Protective Gloves:RUBBER,-PLASTIC

Eye Protection:SAFETY GLASSES

Supplemental Safety and Health

PART B OF A THREE PART KI

T. MFG STATES ILV IS NOT DETERMINED. ALSO,  
BEYOND THE INGRED. LISTED, THE MATERIAL HAS NO OTHER HAZ INGRED.  
ACCORDING TO FED HAZ SUB-STANCES LABELING ACT.KEY1:N1.

===== Physical/Chemical Properties =====

Spec Gravity:1.6100

Solubility in Water:NEGLIGIBLE

Appearance and Odor:BROWN PASTE; SOAPY ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS.

Hazardous Decomposition

Products:N OXIDES, SIO\*2, CO\*2 & TOXIC METAL

FUMES AT TEMP >450F

===== Disposal Considerations =====

Waste Disposal Methods:LEACHPROOF LANDFILL IN ACCORDANCE W/ FED., STATE  
& LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to b

e accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.