CROWN INDUSTRIAL PRODUCTS CO -- FAULT FINDER PENETRANT #501098 #1098 6850-00-145-0255 Product ID:FAULT FINDER PENETRANT #501098 #1098 MSDS Date:04/18/1988 FSC:6850 NIIN:00-145-0255 Kit Part:Y MSDS Number: BDCFS === Responsible Party === Company Name: CROWN INDUSTRIAL PRODUCTS CO Address: HWY 47 N Box:350 **City:HEBRON** State:IL ZIP:60034 Country:US Info Phone Num:800-766-7655 Emergency Phone Num:800-766-7655 CAGE:92381 === Contractor Identification === Company Name: CROWN INDUSTRIAL PRODUCTS CO Address: HWY 47 N Box:350 **City:HEBRON** State:IL ZIP:60034 Country:US Phone:815-648-2424 CAGE:92381 Ingred Name: POLY(OXY(METHYL-1,2-ETHANEDIYL)), ALPHA-BUTYL-OMEGA-HYDROXY-/BUTOXYPOLYPROPYLENE GLYCOL CAS:9003-13-8 RTECS #:TR4680000 Fraction by Wt: 11-30% Other REC Limits:NONE SPECIFIED Ingred Name: RESIDUES (PETROLEUM), CATALYTIC REFORMER FRACTIONATOR/HE

AVY AROMATIC NAPHTHA CAS:64741-67-9 RTECS #:VG7067000 Fraction by Wt: 31-50% Other REC Limits:NONE SPECIFIED ACGIH TLV:200 PPM (PER MFR)

Ingred Name:ALIPHATIC PETROLEUM SOLVENT/KEROSENE/COAL OIL CAS:8008-20-6 RTECS #:OA5500000 Fraction by Wt: 11-30% Other REC Limits:NONE SPECIFIED ACGIH TLV:200 PPM (PER MFR)

Ingred Name:N-METHYLPYRROLIDONE/2-PYRROLIDINONE, 1-METHYL-CAS:872-50-4 RTECS #:UY5790000 Fraction by Wt: 1-10% Other REC Limits:NONE SPECIFIED OSHA PEL:100 PPM (PER MFR) ACGIH TLV:200 PPM/100 STEL(MFR)

Ingred Name:DICHLORODIFLUOROMETHANE (SARA III) CAS:75-71-8 RTECS #:PA8200000 Fraction by Wt: 11-30% Other REC Limits:NONE SPECIFIED OSHA PEL:1000 PPM ACGIH TLV:1000 PPM; 9192 EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS Ozone Depleting Chemical:1

LD50 LC50 Mixture:LD50 (ORAL RAT) 11 G/KG(INGR. 1) Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Healt  h Hazards Acute and Chronic:ACUTE-EYES:SEVERE IRRITATION.SKIN:DRYING.INHALATION:HEADACHE,DIZZINESS, AND NAUSEA.INGESTION:NOT ESTABLISHED.CHRONIC-SEVERE EYE IRRITANT AND SEVERE DRYING OF THE SKIN, DEFATTING AND DERMATITIS.
Effects of Overexposure:EYE:IRRITATION. SKIN:DRYING. INHALATION:HEADACHE,NAUSEA, & DIZZINESS.INGESTION:NOT ESTABLISHED.
Medical Cond Aggravated by Exposure:NOT ESTABLISHED.

First Aid:CALL A

PHYSICIAN.EYE:FLUSH W/WATER 15 MIN,HOLD LIDS OPEN.SKIN:WASH WITH SOAP & WATER.REMOVE CONTAMINATED CLOTHING AND LAUNDER BEFORE REUSE.INHALED:REMOVE TO FRESH AIR.GIVE CPR/OXYGEN IF NEEDED.INGESTE D:DO NOT INDUCE VOMITING.DRINK PLENTY OF WATER.

Flash Point Method:COC Flash Point:FLAMMABL AEROSOL Lower Limits:1.0 Upper Limits:8.0 Extinguishing Media:CARBON DIOXIDE, FOAM, OR DRY CHEMICAL. Fire Fighting Procedures:FIRE FIGHTERS SHOULD USE NIOSH APPROVED SCBA & FULL PROTECTIVE EQUIPMENT WHEN FIGHTING CHEMICAL FIRE. USE WATER SPRAY TO COOL NEARBY CONTAINERS EXPOSED TO FIRE. Unusual Fire/Explosion Hazard:TREAT AS CYLINDERS OF COMPRESSED GAS.

Spill Release Procedures: VENTILATE AREA. REMOVE IGNITION SOURCES. CLEAN UP WITH INERT MATERIALS. PUT IN DISPOSAL CONTAINER. SEE DISPOSAL METHOD FOR CONTAINER PRECAUTIONS. Neutralizing Agen t:NONE

Handling and Storage Precautions:DO NOT STORE IN DIRECT SUNLIGHT, NEAR OPEN FLAMES, OR AT TEMPERATURES EXCEEDING 120F. PROTECT CONTAINERS FROM PHYSICAL DAMAGE.

Other Precautions:DO NOT SMOKE WHILE SPRAYING. KEEP AWAY FROM CHILDREN. INTENTIONAL MISUSE BY DELIBERATELY CONCENTRATING VAPORS AND INHALING CONTENTS CAN BE HARMFUL OR FATAL.

======= Exposure Controls/Personal Protection ==========

R

espiratory Protection:RESPIRATORY PROTECTION PROGRAM SHOULD BE IN ACCORDANCE WITH 29 CFR 1910.134 Ventilation:LOCAL EXHAUST IS NORMALLY ADEQUATE. Protective Gloves:NEOPRENE OR POLYETHYLENE Eye Protection:SAFETY GLASSES OR GOGGLES Other Protective Equipment:EYE WASH STATION AND SAFETY SHOWER. INDUSTRIAL-TYPE WORK CLOTHING AND APRON AS REQUIRED. Work Hygienic Practices:WASH SKIN WITH SOAP AND WATER. AVOID UNNECESSARY CONTACT. WASH THOROUGHLY AFTER USING AND BEFORE EATING OR DRINKIN G Supplemental Safety and Health KEY1:F1. THIS PRODUCT IS A KIT CONSISTING OF THREE PARTS. DEVELOPER,

PNI C, CLEANER/REMOVER, PNI A, PENETRANT WITH PNI B, SAME NSN.

HCC:V3 NRC/State Lic Num:NOT RELEVANT Vapor Pres:2327-2586 Vapor Density:>1 Spec Gravity: