

EMERSON & CUMING CHEMICAL COMPANY -- ECCOBOND 45 -- 8040-00-148-7183

===== Product Identification =====

Product ID:ECCOBOND 45

MSDS Date:01/01/1985

FSC:8040

NIIN:00-148-7183

Kit Part:Y

MSDS Number: BDCMF

=== Responsible Party ===

Company Name:EMERSON & CUMING CHEMICAL COMPANY

Emergency Phone Num:(617)828-3300

CAGE:DO244

=== Contractor Identification ===

Company Name:EMERSON & CUMING INC DIV/W R GRACE CO

Address:117 DRAGON COURT

City:AUBURN

State:MA

ZIP:01888

Phone:(617) 935-4850 OR (617) 938-8630

CAGE:DO244

Company Name:GRACE W R & CO EMERSON & CUMING DEWEY & ALMY CHEM

Address:869 WASHINGTON ST

City:CANTON

State:MA

ZIP:02021-2513

Country:US

Phone:617-935-4850

CAGE:04552

===== Composition/Information on Ingredients =====

Ingred Name:NO INGREDIENT FOR THIS FORMULATION\_INGREDIENT

===== Hazards Identification =====

Effects of Overexposure:MILDLY IRRITATING TO SKIN & EYES ON EXTENDED  
CONTACT

==

===== First Aid Measures =====

First Aid:SKIN:WASH WITH SOAP & WATER;EYES:FLUSH WITH PLENTY OF WATER & GET MED ATTN IF NEEDED;INH:REMOVE TO FRESH AIR.

===== Fire Fighting Measures =====

Flash Point:465F-TOC

Lower Limits:UNK

Upper Limits:UNK

Extinguishing Media:CO\*2, FOAM, DRY CHEM.

Fire Fighting Procedures:AVOID BREATHNG SMOKE;WEAR SCBA;USE WATER SPRAY TO COOL CONT.

Unusual Fire/Explosion Hazard:NONE KNOWN

=====

===== Accidental Release Measures =====

Spill Release Procedures:EVACUATE UNPROTCTD PERSONS.ELIM IGN SOURCES.USE PROTCTV EQUIP.PROVIDE VENTILATION.STOP LEAK W/O RISK;SM SPILL:ABSORB W/COMMRCIAL ABSORBNT.PLACE INCLOSD CONTNR;LG SPILL:DIKE AHEAD FOR LATER DISPOSAL;MF R NOTES:CLEAN W SOLVNT;THEN W/SOAP & WATER.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL,DRY,WELL VENTILATED AREA. PROTEC T FROM PHYSICAL DAMAGE.KEEP CONTAINERS CLOSED. MAINTAIN STANDARD HYGIENE FOR CHEM HANDLING.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT ORDINARILY REQUIRED;HOWEVER USE NIOSH APPROVD SCBA IF NEEDED.

Ventilation:LOCAL EXHAUST TO MAINTN BELOW TLV.

Protective Gloves:RUBBER

Eye Protection:GOGGLES

Other Protective Equipment:AS REQUIRED TO PREVENT PROLONGED CONTACT.

Supplemental Safety and Health

PART A OF TWO PART KIT,SAME NSN,(SEE P/N IND "

B" FOR PART B).

===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:460F

Vapor Pres:UNK

Vapor Density:UNK

Spec Gravity:1.4

Solubility in Water:NEGLIGIBLE

Appearance and Odor:BLACK VISCOUS LIQUID

Percent Volatiles by Volume:UNK

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS.

Hazardous Decomposition Products:CO,CO\*2,ALDEHYDES,ACIDS,ETC.

===== Dis  
posal Considerations =====

Waste Disposal Methods:KEEP IN CLOSED CONTNR PENDING DISPOSAL;HANDLE &  
DISPOSE IN FULL COMPLIANCE W/ALL APPLICABLE FED,STATE & LOCAL  
REGULATIONS;MFR STATES:DISPOSE OF WASTE BY CONTROLLED BURNING OR  
BURIAL IAW FED,STATE & LO CAL LAWS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,

expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.