NORLAND PRODUCTS INC. -- NOA-61 -- 8040-00-148-7287

Product ID:NOA-61 MSDS Date:01/01/1985 FSC:8040 NIIN:00-148-7287 **MSDS Number: BDCMJ** === Responsible Party === Company Name:NORLAND PRODUCTS INC. Emergency Phone Num:201-545-7828 CAGE:55636 === Contractor Identification === Company Name:NORLAND PRODUCTS INC Address:695 JOYCE KILMER AVE Box:145 City:NORTH BRUNSWICK State:NJ ZIP:08902 Country:US CAGE:55636

Ingred Name:POLYENE Fraction by Wt: 39.5%

Ingred Name:POLYTHIOL Fraction by Wt: 58.0%

Ingred Name: ADDITIVES PACKAGE Fraction by Wt: 2.5%

Effects of Overexposure: AVOID INHALATION. NOT CONSIDERED A SKIN OR EYE IRRITANT (MFR)

Flash Point:LIQ NOT MEASURED Extinguishing Media:WATER & CO*2 Fire Fighting Pro

cedures:NONE Unusual Fire/Explosion Hazard:NONE

======================================
Spill Release Procedures:1. WIPE UP WITH ANY ABSORBENT, RINSE W/ANY NON-POLAR SOLVENT. 2. ALTENATE-POLYMERIZE W/UV & PEEL OFF (MFR RECM)
======================================
Handling and Storage Precautions:THIS MTRL SHOULD NOT BE INGESTED OR SWALLOWED. IF SPRAYED AS AN AEROSOL OR MIST, PROTECTION MUST BE TAKEN AGAINST INHALATION
Other Precautions:IT IS NOT CONSIDERED A SKIN OR EYE IRRITANT, ALTHOUGH IT IS ALWAYS GOOD PRACTICE TO AVOID EXCESSIVE CONTACT AND TO WASH AFTER W/SOAP AND WATER
========= Exposure Controls/Personal Protection ====================================
Respiratory Protection:NONE NEEDED (MFR) Ventilation:MFR RECM LOCAL EXHAUST Supplemental Safety and Health % VOLATILE BY VOL:NONE. CURED MATRL HAS O*2 INDEX OF 27,NONFLAM IN CURED STATE. HAZ POLYMER CONDITIONS TO AVOID CONT'.:(I.E. SUNLIGHT) MAY CAUSE MILD EXOTHERM VIA CONTROLLED POLYMERIZATION
======================================
HCC:N1 Spec Gravity:1.231 Solubility in Water:NEGLIGIBLE Appearance and Odor:CLEAR W/SULPHUROUS ODOR
======================================
Stability Indicator/Materials to Avoid:YES Stability Condition to Avoid:VERY HIGH TEMP STRONG OXIDIZERS &ACTINIC RADIATION Hazardous Decomposition Products:NONE

Conditions to Avoid Polymerization:DIR EXPOS TO A

CTINIC RAD(SEE SUPP DATA)

Waste Disposal Methods:1. POLYMERIZE W/UV & BURY & BURN. 2. TREAT AS ANY LOW VOLATILITY ORGANIC LIQUID (MFR RECM) DISPOSE LAW FED, STATE AND LOCAL CODES

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, war rants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.