

GEO. SENN,DIV.GLOBE SOLVENTS(PHIPPS PRODUCTS CORP) -- TT-T-266D,THINNER,DOPE & LACQUER -- 8010-00-160-5788

=====
===== Product Identification =====

Product ID:TT-T-266D,THINNER,DOPE & LACQUER

MSDS Date:01/01/1985

FSC:8010

NIIN:00-160-5788

MSDS Number: BDDGL

=== Responsible Party ===

Company Name:GEO. SENN,DIV.GLOBE SOLVENTS(PHIPPS PRODUCTS CORP)

Address:186 LINCOLN ST SUITE 502

City:BOSTON

State:MA

ZIP:

02111-2403

Country:US

CAGE:KO355

=== Contractor Identification ===

Company Name:GEO. SENN,DIV.GLOBE SOLVENTS(PHIPPS PRODUCTS CORP)

Address:186 LINCOLN ST SUITE 502

Box:City:BOSTON

State:MA

ZIP:02111-2403

Country:US

CAGE:KO355

Company Name:PHIPPS PRODUCTS CORP

Address:186 LINCOLN ST SUITE 502

Box:City:BOSTON

State:MA

ZIP:02111-2403

Country:US

Phone:OUT OF BUSINESS

CAGE:86511

=====
===== Composition/Information on Ingredients =====

Ingred Name:ISOBUTYL ACETATE (SARA III)

CAS:110-19-

0

RTECS #:AI4025000
Fraction by Wt: 15%
OSHA PEL:150 PPM
ACGIH TLV:150 PPM; 9192
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingred Name:LACTOL SPIRITS
Fraction by Wt: 30%

Ingred Name:TOLUENE (SARA III)
CAS:108-88-3
RTECS #:XS5250000
Fraction by Wt: 18%
OSHA PEL:200 PPM/150 STEL
ACGIH TLV:50 PPM; 9293
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:ISOPROPYL ALCOHOL (SARA III)
CAS:67-63-0
RTECS #:NT8050000
Fraction by Wt: 15%
OSHA PEL:400 PPM/500 STEL
ACGIH TLV:400 PPM/500STEL;9192

Ingred Name:METHYL ETHYL KETONE (2-BUTANONE) (MEK) (SARA III)
CAS:78-93-3
RTECS #:EL6475000
Fraction by Wt: 22%
OSHA PEL:200 PPM/300 STEL
ACGIH TLV:200 PPM/300STEL 9192
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

=====
Hazards Identification
=====

Effects of Overexposure:HEADACHE, NAUSEA, DROWSINESS

=====
First Aid Measures
=====

First Aid:FLUSH SKIN W/WATER. IMMEDIATELY FLUSH EYES W/WATER AT LEAST
15 MIN. CALL MD. INHAL

ATION:MOVE TO FRESH AIR, ARTIFICIAN
RESPIRATION. IF NECESSARY.

=====
===== Fire Fighting Measures =====

Flash Point:15F TCC
Extinguishing Media:WATER SPRAY, CO*2, FOAM, DRY CHEMICAL
Fire Fighting Procedures:NONE
Unusual Fire/Explosion Hazard:NONE

=====
===== Accidental Release Measures =====

Spill Release Procedures:REMOVE SOURCES OF IGNITION, RECOVER FREE
LIQUID.

=====
===== Handling and Storage =====

H
Handling and Storage Precautions:KEEP FROM HEAT,SPRAKS, & OPEN FLAME.
Other Precautions:AVOID PROLONGED BREATHING OR CONTACT W/SKIN.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NIOSH/MSHA APPRVD RESP PROTECTN IF NECESSARY
Ventilation:LOCAL EXHAUST-YES MECHANICAL-YES
Protective Gloves:YES(NEOPRENE)
Eye Protection:CHEMICAL GOGGLES
Other Protective Equipment:NEOPRENE APRON
Supplemental Safety and Health
SPECIFIC GRAVITY GIVEN @ 60/60F.

=====
===== Physical/Chemical Properties =====

HCC:F3
NRC/State Lic Num:N?A
Boiling Pt:B.P. Text:180F (IBP)
Spec Gravity:0.800
Solubility in Water:APPRECIABLE
Appearance and Odor:WATER WHITE & MILD.
Percent Volatiles by Volume:100

=====
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZERS, CONCENTRATED SULFURIC ACID
Hazardous Decomposition Products:CARBON MONOXIDE

=====
===== Disposal Considerations =====

=====

Waste Disposal Methods:INCINERATE OR EVAPORATE IN ACCORDACNE
W/LOCAL,STATE & FEDERAL REGULATONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent profes
sional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.