

NATIONAL STARCH AND CHEMICAL CORP. -- BONDMASTER M777B -- 8040-00-180-6255

===== Product Identification =====

Product ID:BONDMASTER M777B

MSDS Date:01/01/1987

FSC:8040

NIIN:00-180-6255

MSDS Number: BDGCD

=== Responsible Party ===

Company Name:NATIONAL STARCH AND CHEMICAL CORP.

Emergency Phone Num:201-755-4100

CAGE:01666

=== Contractor Identification ===

Company Name:NATIONAL STARCH AND CHEMICAL CORP BONDMASTER DIV

Address:225 BELLEVILLE AVE

Box:City:BLOOMFIELD

State:NJ

ZIP:07003-3584

Country:US

CAGE:01666

===== Composition/Information on Ingredients =====

Ingred Name:SILICA, AMORPHOUS, DUST

CAS:112945-52-5

RTECS #:VV7310000

Fraction by Wt: 7%

OSHA PEL:6 MG/M3

ACGIH TLV:10 MG/M3; 8990

Ingred Name:POLYAMIDE RESIN-LOW AMINE CONTENT

===== Hazards Identification =====

Effects of Overexposure:SKIN: PRLNG/RPTD CONTACT CAUSES IRRITATION OR
DERMATITIS IN ALLERGIC PERSONS. EYE: IRRITANT.

=====

===== First Aid Measures =====

First Aid:SKIN:WASH WITH SOAP & WATER. EYE;FLUSH WITH COPIOUS AMOUNTS
OF WATER FOR 15 MINUTES, CALL MD. CALL MD FOR ANY UNUSUAL EXPOSURE.

===== Fire Fighting Measures =====

Flash Point:500F;260C, OC

Extinguishing Media:CO*2, FOAM, DRY CHEMICAL

===== Accidental Release Measures =====

Spill Release Procedures:MOP UP, FLUSH WITH WATER.

===== Handling and

Storage =====

Handling and Storage Precautions:STORE AT ROOM TEMPERATURE IN A DRY PLACE. REFER TO SPI BULLETIN ON HANDLING EPOXY COMPOUNDS FOR FURTHER INFO.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:MFR STATES NOT USUALLY REQUIRED.
Ventilation:MECHANICAL & LOCAL EXHAUST RECOMMENDED TO KEEP BELOW TLV.
Protective Gloves:RECOMMENDED
Eye Protection:SFTY GLASS W/SIDE SHIELDS
Supplemental Safety and Health
SPECIFIC GRAVITY
& FLASH POINT VALVES ARE APPROXIMATE. CONTAINER: 1
QUART. PART B OF A TWO PART KIT.KEY1:N1.

===== Physical/Chemical Properties =====

HCC:V7
Spec Gravity:0.99
Solubility in Water:SLIGHT
Appearance and Odor:YELLOW VISCOUS LIQUID, TYPICAL AMINE ODOR.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
EPOXY RESINS & ACIDS.
Conditions to Avoid Polymerization:ACIDS & EPOXY RESINS.

===== Dis
posal Considerations =====

Waste Disposal Methods:DISPOSE IAW FEDERAL, STATE & LOCAL CODES.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional ad

vice to verify and
assume responsibility for the suitability of this information to their
particular situation.