

DEFT CHEMICAL COATINGS -- LXP-3015 CATALYST,BROWN 20400,ISOCYANATE --
8010-00-181-7049

===== Product Identification =====

Product ID:LXP-3015 CATALYST,BROWN 20400,ISOCYANATE

MSDS Date:01/01/1985

FSC:8010

NIIN:00-181-7049

MSDS Number: BDGGY

=== Responsible Party ===

Company Name:DEFT CHEMICAL COATINGS

Address:17451 VON KARMAN AVE

City:IRVINE

State:CA

ZIP:92714-6205

Country:US

Emergency Phone Num:714-549-8911

CAGE:EO418

=== Contractor Identification ===

Company

Name:DEFT CHEMICAL COATINGS

CAGE:EO418

Company Name:DEFT, INC.

Address:17451 VON KARMAN AVE

City:IRVINE

State:CA

ZIP:92614

Country:US

Phone:949-474-0400

CAGE:33461

===== Composition/Information on Ingredients =====

Ingred Name:XYLENES (O-,M-,P- ISOMERS) (SARA III)

CAS:1330-20-7

RTECS #:ZE2100000

Fraction by Wt: 25.0%

OSHA PEL:100 PPM/150 STEL

ACGIH TLV:100 PPM/150STEL;9192

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 LBS

===== Hazards Identification =====

=====

Effects of Overexposure:EYE IRRITNT.SOLVENTS MAY IRRITATE SKIN.MAY IRRITAT OR CAUSE NARCOSIS IF INHALED.

===== First Aid Measures =====

First Aid:SKIN:WIPE OFF WITH RAG,FLUSH WITH WATER.WASH WITH SOAP & WATER.EYES:FLUSH WITH WATER 10 MIN,SEE EYE DOCTOR.INHALED:REMOVE TO FRESH AIR.GIVE CPR OR OXYGEN IF NEEDED.INGESTED:RINSE MOUTH.GET MEDICAL AT TENTION.

===== Fire Fighting Measures =====

Flash P
oint:28F/-2.2C TOC
Lower Limits:UNK
Upper Limits:UNK
Extinguishing Media:CARBON DIOXIDE,FOAM,DRY CHEMICAL.
Fire Fighting Procedures:WEAR SCBR,WATER SRAY TO COOL EXPOSD CONT;DO NOT USE H*2O JET
Unusual Fire/Explosion Hazard:CONTAINERS MAY EXPLODE IN HEAT OF FIRE.DO NOT APPLY TO HOT SURFACES.AVOID SPARKS,OPEN FLAMES.

===== Accidental Release Measures =====

Spill Release Procedures:EVACUATE UNPROTECTED PERSONS.ELIM IGNITION SOURCES.PROVIDE VENTILATION.STOP LEAK.H*2O SPRAY TO COOL CONTR,IF HOT.ABSORB W. COMMERCIAL ABSORBENT,PLACE IN COVERED CONTR.MFR SUGGEST:ABSORB W RAGS,OTHER A BSORBENT.FLUSH W. LARGE VOLUME OF WATER.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL,DRY,WELL VENTILATED,LOW FIRE RISK AREA. KEEP CONTAINERS TIGHTLY CLOSED.(MOISTURE SENSITIVE).PROTECT FROM PHYSICAL DAMAGE.
Other Precautions:MAINTAIN STRICT HYGIENE,AVOID PHYSICAL CONTACT,REMOVE

& WASH CONTAMINATED CLOTHING.AVOID PROLONGED INHALATION OF VAPORS.USE FRESH AIR SUPPLY MASK IF VENTILATION IS POOR.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:FOR EXPOSURE:SELF-CNTND BRTU APP/APPR RESPIRATOR;GOOD VENTILATION.
Ventilation:USE ADEQUATE VENTILATION W. EXHAUST FAN.
Protective Gloves:IMPERVIOUS
Eye Protection:SAFETY/CHEM GOGGLES
Other Protective Equipment:CARTRIDGE TYPE RESPIR WITH PARTICULATE FILTERS.
Supplemental Safety and Health
TWO PART KIT; THIS DESCRIBES CATALYST; SEE P/N IND "B" FOR OTHER INGRED OF THIS CATALYST. ALSO SEE P/N IND A FOR BASE OF THIS KIT.
SAME NSN: SPEC REF: NAI-1290; ALSO KNOWN AS "DEFTHANE CATALYST". KEY1:F3.

===== Physical/Chemical Properties =====

HCC:F2
Boiling Pt:B.P. Text:160-329F
Vapor Pres:UNK
Vapor Density:>1
Spec Gravity:0.95
Evaporation Rate & Reference: