

Product ID:PR-1201-RLS MSDS Date:01/01/1985

FSC:8030

NIIN:00-181-7884

Kit Part:Y

MSDS Number: BDGMX === Responsible Party ===

Company Name: PRODUCTS RESEARCH & CHEM CORP

Address:5430 SAN FERNANDO ROAD

Box:1800

City:GLENDALE

State:CA ZIP:91209 Country:US

Info Phone Num:818-240-2060

Emergency Phone Num:818-240-2060

CAGE:DO563

=== Contractor Identification ===

Compa

ny Name:PRC-DESOTO INTERNATIONAL, INC. A PPG INDUSTRIES COMPANY

Address:5430 SAN FERNANDO RD

Box:1800

City:GLENDALE

State:CA ZIP:91209 Country:US

Phone:818-240-2060

CAGE:83574

Company Name: PRODUCTS RESEARCH & CHEMICAL

Address: NOW DBA COURTAULDS AEROSPACE

Box:1800

City:GLENDALE

State:CA ZIP:91209

Phone:818-240-2060

CAGE:DO563

======= Composition/Information on Ingredients ========

Ingred Name:LEAD PEROXIDE (LEAD DIOXIDE), (OSHA PEL FROM 29CFR 1910.1025)

CAS:1309-60-0 RTECS #:OG

Fraction by Wt: 7% OSHA PEL:0.05 MG/M3 (PB) ACGIH TLV:0.15 MG/M3(PB); 8990
Ingred Name:TOLUENE (SARA III) CAS:108-88-3 RTECS #:XS5250000 Fraction by Wt: 5% OSHA PEL:200 PPM/150 STEL ACGIH TLV:50 PPM; 9293 EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS
======================================
Effects of Overexposure:BASE COMPOUND MAY BE IRRITATING TO SKIN.ACCELERATOR CONTNS LEAD COMPOUND WHICH MAY BE ABSORB THRU SK
======================================
First Aid:SKIN:WASH THOROUGHLY WITH SOAP & WATR. EYES:WASH OUT THOROUGHLY W/LG AMTS OF WATR; SEE A PHYSICIAN INGESTION:INDUCE VOMITING; SEE A PHYSICIAN.
======================================
Flash Point:92 F PMCC 33 C P Lower Limits:1 Upper Limits:7 Extinguishing Media:FOAM,DRY CHEMICAL,XO*2. Unusual Fire/Explosion Hazard:EMISSION OF TOXIC VAPORS.
========= Accidental Release Measures ===========
Spill Relea se Procedures:WIPE UP EXCESS WITH RAGS OR PAPER TOWELS; CLEAN AREA WITH XYLENE OR TOLUENE.
============ Handling and Storage ==============
Handling and Storage Precautions: KEEP IN CLOSED CONTAINERS AT ROOM TEMPERATURE. AVOID ACCELERATOR SPILLAGE.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:AIR-SUPPLIED RESPIRATOR RECOMMENDED IN CONFINED AREAS. Ventilation:LOC EXHAUST/MECHAN ADEQUATE TOMINIMIZE SOLVENT VAPOR. Prote

Solubility in Water: INSOLUBLE

Appearance and Odor: PINKISH BROWN, THICK LIQUID, SLIGHT TOLUENE ODOR.

Percent Volatiles by Volume:6%

======== Stability and Reactivity Data ==========

Stability Indicator/Materials to Avoid:YES
DECOMPOSES WHEN EXPOSED TO STRONG OXIDIZING AGENTS.
Hazardous Decomposit
ion Products:OXIDES OF SULFUR;HYDROGEN SULFIDE;
FORMAL ACID.

======= Disposal Considerations ==========

Waste Disposal Methods: NORMAL TRASH PROCEDURES; DO NOT INCINERATE.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liab

ility for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.