

AMOCO OIL COMPANY -- AMOCO 300 MOTOR OILS -- 9150-00-186-6685

===== Product Identification =====

Product ID:AMOCO 300 MOTOR OILS

MSDS Date:01/01/1985

FSC:9150

NIIN:00-186-6685

MSDS Number: BDHCN

=== Responsible Party ===

Company Name:AMOCO OIL COMPANY

Emergency Phone Num:(312)856-5371

CAGE:15958

=== Contractor Identification ===

Company Name:AMOCO OIL CO

Address:200 E RANDOLPH DR

Box:City:CHICAGO

State:IL

ZIP:60601-6401

Country:US

Phone:312-856-3907- EM HLTH: 800 447-8735

CAGE:15958

Company Name:AMOCO OIL CO

Address:2211 YORK RD SUITE 400

Box:3488

City:HINSDALE

State:IL

ZIP:60522-3488

Country:US

Phone:800-652-6626

CAGE:2V812

===== Composition/Information on Ingredients =====

Ingred Name:PETROLEUM OILS

Fraction by Wt: UNK

Ingred Name:ADDITIVES

Fraction by Wt: UNK

===== Hazards Identification =====

Effects of Overexposure:EYES:MINIMA

LLY IRRITATING;SKIN:SLIGHTLY
IRRITATING;INH:NONE;ING:PRACTICALL NONTOXIC FOR ACUTE.

===== First Aid Measures =====

First Aid:EYES:FLUSH W/ PLENTY OF H₂O;SKIN:NONE REQD FOR UNUSED OIL.
CONTACT W/USED MOTOR OIL-WASH EXPOSED SKIN THOROUGHLY W/SOAP &
WATER;INGESTION:IF A LARGE AMT IS SWALLOWED,INDUCE VOMITING.GET
MEDICAL ATTENTION.

===== Fire Fighting Measures =====

Flash Point:400-450F-COC
Extinguishing Med
ia:DRY CHEMICAL(B-C),CO₂, WATER FOG, FOAM.
Fire Fighting Procedures:NONE KNOWN
Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:ELIMINATE IGN SOURCES.STOP LEAK W/O RISK.USE
PROTECTIVE EQUIP SUCH AS GLOVES & SAFETY GLASS DURING CLEANUP
SPILL;SM SPILL:ABSORB W/COMMERCIAL ABSORBENT & CONTAIN IN COVERED
DRUM;LG SILL:DIKE LIQ.PUMP INTO SALVAGE TANK. SHOVEL RESIDUE
INTO COVERED DRUM

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL, DRY, WELL VENTILATED
AREA. PROTECT FROM PHYSICAL DAMAGE.AVOID ANY PHYSICAL CONTACT. KEEP
CONTAINERS TIGHTLY CLOSED
Other Precautions:CAUTION:CONTINUOUS LONG TERM CONTACT W/USED OIL HAS
CAUSED CANCER IN ANIMAL TESTS;USE WATERLESS HAND CLEANER TO REMOVE
USED OIL FROM SKIN.USE PROTECTIVE CLOTHING & GLOVES WHEN WORKING
W/USED OILS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE SHOULD BE NEEDED
Ventilation:GENERAL (MECH)/AREA
Protective Gloves:IMPERVIOUS
Eye Protection:AS REQUIRED
Other Protective Equipment:WEAR PROTECTIVE CLOTHING & IMPERVIOUS GLOVES.
Supplemental Safety and Health
MSDS DTS NOV 1982 COVERS:SAE 10W;20-20W;30;40; & 15W-40 GRADE OIL; THIS
NSN FOR MIL-L-46152B, 10W GRADE

===== Physical/Chemical Properties =====

HCC:V6
Spec Gravity:0.885
Solubility in Water:NEGLIGIBLE
Appearance and Odor:P

ALE TO LIGHT RED COLORED OILY LIQUID

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES

NONE KNOWN

Stability Condition to Avoid: IGNITION SOURCES

Hazardous Decomposition Products: C, CO, CO², VARIOUS HYDROCARBONS & THEIR DERIVATIVES.

===== Disposal Considerations =====

Waste Disposal Methods: INCINERATE IN APPROVED INCINERATOR OR DISPOSE OF IN APPROVED CHEMICAL DUMP IN ACCORDANCE WITH LOCAL, STATE & FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.