View NSN Online: https://aerobasegroup.es/nsn/9150-00-188-9858 J D STREETT & CO, INC -- SUPER HEAVY DUTY, MIL-C-2104C, GRADE 30 -- 9150-00-188-9858 ============= Product Identification ======================== Product ID:SUPER HEAVY DUTY, MIL-C-2104C, GRADE 30 MSDS Date:01/01/1985 FSC:9150 NIIN:00-188-9858 MSDS Number: BDHMC === Responsible Party === Company Name: J D STREETT & CO, INC Emergency Phone Num:314-432-6600 **CAGE:00165** === Contractor Identification === Company Name: J D STREETT & CO, INC Address:144 WELDON PARKWAY Box:City:MARYLAND HEIGHTS Phone:314-432-6600 **CAGE:00165** ======= Composition/Information on Ingredients ======== Ingred Name: PETROLEUM LUBE OIL ============= Hazards Identification ======================== Effects of Overexposure: AVOID SKIN/EYE CONTACT First Aid:SKIN: WASH W/SOAP & WATER. EYES: IMMED FLUSH W/WATER FOR AT LEAST 15 MIN. CALL MD. =========== ==== Fire Fighting Measures =========== Flash Point:495F (COC) Extinguishing Media:CO*2, DRY CHEM, FOAM Fire Fighting Procedures: ENCLOSED AREA, AIR-SUPP RESCUE EQUIP Unusual Fire/Explosion Hazard: COOL FIRE EXPOSED CONTAINERS W/WATER. DO NOT STORE OR MIX W/STRONG OXIDANTS. ======== Accidental Release Measures ============ Spill Release Procedures: RECOVER FREE LIQUID. ADD ABSORBENT TO SPILL AREA.

====== Handling and Storage Precautions: KEEP CONTAINERS CLOSED. KEEP AWAY FROM HEAT & OPEN FLAMES. Other Precautions: AVOID PROLONGED OR REPEATED CONTACT W/SKIN. ===== Exposure Controls/Personal Protection ======== Respiratory Protection: IF NEEDED, NIOSH/MSHA APPROVED RESP PROTECTION Ventilation: LOCAL EXHAUST, NEEDED ONLY TO CAPTURE HOT FUMES Other Protective Equipment: RUBBER GLOVES, GLASSES, IMPERVIOUS APRON, IF **NEEDED** Supplemental Safety and Health MFG ADDRESS: J D ST REETT & CO, INC. 144 WELDON PKWY MARYLAND HGTS, MO 63043. ======== Physical/Chemical Properties ============ HCC:V6 Boiling Pt:B.P. Text:400+F Spec Gravity:0.90 Appearance and Odor:MILD PETROLEUM ODOR ======== Stability and Reactivity Data ========== Stability Indicator/Materials to Avoid:YES STRONG OXIDANTS, LIKE LIQUID CHLORINE & CONCENTRATED OXYGEN Hazardous Decomposition Products: CARBON MONOXIDE IN THE CASE OF INCOMPLETE COMBUSTION Conditions t o Avoid Polymerization:MFG STATES NO POLYMERIZATION UNDER NORMAL OPERATING CIDINS.

======= Disposal Considerations ============

Waste Disposal Methods: INCINERATION UNDER CONTROLLED CONDITIONS. DISPOSE IAW LOCAL, STATE, FED REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied,

warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.