

W J RUSOCE CO(RAGEN DATA SYSTEMS) -- PLIOBOND 20 -- 8040-00-200-4574

===== Product Identification =====

Product ID:PLIOBOND 20

MSDS Date:01/01/1987

FSC:8040

NIIN:00-200-4574

MSDS Number: BDJGQ

=== Responsible Party ===

Company Name:W J RUSOCE CO(RAGEN DATA SYSTEMS)

Address:485 KENMORE BLVD

Box:3858

City:AKRON

State:OH

ZIP:44314

Country:US

Emergency Phone Num:NONE

CAGE:KO580

=== Contractor Identification ===

Company Name:RUSCOE W J CO

Address:485 KENMORE BLVD

B

ox:3858

City:AKRON

State:OH

ZIP:44314

Country:US

Phone:216-253-8148

CAGE:86839

Company Name:W J RUSOCE CO(RAGEN DATA SYSTEMS)

Address:485 KENMORE BLVD

Box:3858

City:AKRON

State:OH

ZIP:44314

Country:US

CAGE:KO580

===== Composition/Information on Ingredients =====

Ingred Name:SYNTHETIC RUBBER CAS# N/R

10-14

Fraction by Wt: 5-10%

Ingred Name:CALCIUM CARBONATE (MARBLE) (LIMESTONE)

CAS:1317-65-3

RTECS #:EV9580000

Fraction by Wt: 1-5%

OSHA PEL:15 MG/M3 TDUST

ACGIH

TLV:10 MG/M3 TDUST; 9192

Ingrid Name:METHYL ETHYL KETONE (2-BUTANONE) (MEK) (SARA III)
CAS:78-93-3
RTECS #:EL6475000
OSHA PEL:200 PPM/300 STEL
ACGIH TLV:200 PPM/300STEL 9192
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

===== Hazards Identification =====

Effects of Overexposure:EYE:IRRIT,RED,TEAR,BLUR.INHAL:NASAL,RESP
IRRIT,DIZ,WEAK,NAUS,HDCH,UNCON,ASPHYXIATION.OTH PRECAUTION

===== First Aid Measures =====

First Aid:S
KIN:WASH W/ SOAP,WATER.REMOVE CONTAM CLOTH.WASH CONTAM CLOTH
BEFORE REUSE.EYE:FLUSH W/ WATER. CALL MD.INGET:IMMED DRINK 2 GLASS
OF WATER,INDUCE VOMIT.CALL MD IMMED.INHAL:REMOVE TO FRESH AIR GIVE
O*2, CPR.KEEP WARM,QUIET,GET MEDICAL ATTENTION.

===== Fire Fighting Measures =====

Flash Point:23F,-5C TOC
Lower Limits:2.0
Extinguishing Media:REGULAR FOAM,CO*2,CR DRY CHEMICAL.
Fire Fighting Procedures:WEAR SCBA W/ FULL FACEPIECE,FULL BODY
PROTECTIVE
CLOTHING.
Unusual Fire/Explosion Hazard:VAP MAY TRAVEL ALONG GROUND,BE MOVE BY
VENT,IGNIT BY IGNIT SOURCES.NEVER WELD,CUT NEAR DRUM.SUPP

===== Accidental Release Measures =====

Spill Release Procedures:ELIMINATE ALL IGNIT SOURCES.SM SPILL:ABSORB
LIQ ON PAPER,VERMICULITE,FLOOR ABSORBENT,TRANS TO HOOD.LRG
SPILL:WEAR PROT EQUIP,DIKE SPILL,PUMP LIQ TO SALVAGE TANK.REMAINING
LIQ MAY BE TAKEN UP ON ABSORB ENT MATERIAL,SHOVELED INTO
CONTAINERS.

=====

===== Handling and Storage =====

Handling and Storage Precautions:CONTAINERS OF THIS MATRL MAY BE HAZ
WHEN EMPTIED.SINCE EMPTIED CONTAIN RETAIN PROD RESIDUE,ALL HAZ
PRECAUT GIVEN IN THIS HMIS RECORD MUST BE OBSERVED.

Other Precautions:N/K.OVEREXPOS:INGEST:GI IRRIT,NAUS,VOMIT,DIARR.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NIOSH/MSHA APPRVD AIR SUPPLIED RESP IF TLV IS
EXCEEDED.

Ventilation:MECH(GENERAL,LO
CAL EXHAUST)TO KEEP BELOW TLV.

Protective Gloves:NEOPRENE

Eye Protection:CHEM SPLASH GOGGLES

Other Protective Equipment:WEAR IMPERVIOUS CLOTHING,BOOTS.

Supplemental Safety and Health

MSDS PREP:01MAR86.SPEC FIRE.EXPLOS:5 GL PAIL OR LARGER SHOULD BE
GROUNDED,BONDED WHEN MATRL IS TRANSFERRED.%VOLATILE:76-80.CALL MFR
FOR SOLUBILITY,APPEARANCE.

===== Physical/Chemical Properties =====

HCC:F2

Boiling Pt:B.P. Text:176F,80C

Vapor Pres:71

Vapor Density:2.5

Spec Gravi

ty:0.860

Evaporation Rate & Reference:SLOWER THAN ETHER

Solubility in Water:INSOLUBLE

Appearance and Odor:TAN LIQUID,GARLIC,KETONE ODOR.

Percent Volatiles by Volume:SUPP

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS.

Hazardous Decomposition Products:MAY FORM TOXIC

MATRL,CO*2,CO,HYDROCARBONS,N COMP,HCN.

===== Disposal Considerations =====

Waste Disposal Methods:DISP

USE IN ACCORDANCE W/ LOCAL, STATE, FEDERAL
REGULATIONS. SM SPILL: EVAP IN HOOD. DISPOSE OF REMAIN MATRL IN ACCORD
W/ APPLICABLE REG. LRG SPILL; INCINERATION. CONTAMINATED ABSORBENT MAY
BE DEPOSITED IN A L ANDFILL.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.