

WESTINGHOUSE ELEC CORP,CORP STANDARDS R&D CENTER -- S487565 -- 6110-00-204-3302

===== Product Identification =====

Product ID:S487565

MSDS Date:01/01/1985

FSC:6110

NIIN:00-204-3302

MSDS Number: BDJMK

=== Responsible Party ===

Company Name:WESTINGHOUSE ELEC CORP,CORP STANDARDS R&D CENTER

Address:1310 BEULAH RD

City:PITTSBURGH

State:PA

ZIP:15235-5068

Country:US

Info Phone Num:412-256-1000

Emergency Phone Num:412-256-1000

CAGE:79500

=== Contractor Identification

===

Company Name:WESTINGHOUSE ELECTRIC CORP,CORPORATE STANDARDS

Address:1310 BEULAH RD

Box:City:PITTSBURGH

State:PA

ZIP:15235-5068

Country:US

Phone:412-256-1000

CAGE:79500

===== Composition/Information on Ingredients =====

Ingred Name:ASBESTOS (AMIANTHUS, OBSOLETE AMOSITE), (FOR OSHA PEL, SEE  
29CFR 1910.1101)

CAS:1332-21-4

RTECS #:CI6475000

OSHA PEL:0.2 FIBERS/CC

ACGIH TLV:0.5 FIBERS/CC; A1;89

EPA Rpt Qty:1 LB

DOT Rpt Qty:1 LB

===== Hazards Identificatio

n =====

Effects of Overexposure:ASBESTOS DUST IS KNOWN HUMAN CARCINOGEN.ALSO  
COUGH,SHORT OF BREATH,WEAKNESS,CYANOSIS,ETC.

===== First Aid Measures =====

First Aid:SKIN:CONSULT DOCTOR FOR DERMATITIS.EYES:FLUSH WITH WATER  
FOLLOWED BY TREATMENTS OF OPHTHALOMOLOGIST.INHALATION:CONSULT  
PHYSICIAN AT ONCE.

===== Fire Fighting Measures =====

Extinguishing Media:EXTINGUISH W. AGENT SUITABLE FOR SURRO  
UNDING FIRE.

Fire Fighting Procedures:WEAR SELF-CNTND BRTHG APP

===== Accidental Release Measures =====

Spill Release Procedures:PICK UP MATERIAL & RETURN TO CONTAINER.IF  
BROKEN MATERIAL EXISTS,BE CAREFUL TO AVOID DUSTING CONDITIONS.PLACE  
BROKEN MATERIAL INTO A SEALED CONTAINER.VACUUM OR WET CLEAN ONLY.  
DO NOT DRY SWEEP.

===== Handling and Storage =====

Handling and Storage Precautions:AVOID CUTTING OR GRINDING ON

ITEM.AVOID ANY DUSTING CONDITIONS.MINTAIN GOOD HOUSEKEEPING.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NIOSH APPROVED DUST MASK AS A MINIMUM.SELF CONT  
APP FOR DUSTING COND

Ventilation:PROVIDE GOOD LOCAL VENTILATION TO KEEP BELOW PEL

Protective Gloves:WORKING GLOVES

Eye Protection:SAFETY GLASSES

Other Protective Equipment:FULL WORK CLOTHING TO PREVENT REPEATED OR  
PROLONGED CONTACT.

Supplemental Safety and Health  
SAFETY DATA DEVELOPED BY

DGSC-STF.STORAGE CODE BASED ON FACT THAT  
ASBESTOS IS BOUND UP & NOT LOOSE.

===== Physical/Chemical Properties =====

HCC:T6

Appearance and Odor:ASBESTOS FIBERS IN BOUND FORM IN FRICTION LINING.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

NONE KNOWN

Hazardous Decomposition Products:NONE KNOWN

===== Disposal Considerations =====

Waste Disposal Methods:PLACE IN SEA

LED PLASTIC BAG OR

CONTAINER.ULTIMATE DISPOSAL MUST COMPLY WITH ALL LOCAL,STATE &  
FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional  
advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.