

MCKESSON CHEMICAL -- HYDROGEN NITRATE -- 6810-00-222-9655

=====
Product Identification
=====

Product ID:HYDROGEN NITRATE

MSDS Date:01/01/1987

FSC:6810

NIIN:00-222-9655

MSDS Number: BDKCX

=== Responsible Party ===

Company Name:MCKESSON CHEMICAL

Address:1575 MARLBOROUGH DR

City:RIVERSIDE

State:CA

ZIP:92507-2029

Country:US

Info Phone Num:408-435-8700

Emergency Phone Num:408-435-8700

Chemtec Ind/Phon

e:(800)424-9300

CAGE:5J040

=== Contractor Identification ===

Company Name:CHEMICAL COMMODITIES AGENCY, INC.

Address:27447 PACIFIC STREET

Box:City:HIGHLAND

State:CA

ZIP:92346-2640

Country:US

Phone:909-864-2310

CAGE:60777

Company Name:MCKESSON CHEMICAL

Address:33950 7TH ST

City:UNION CITY

State:CA

ZIP:94587-3522

Country:US

CAGE:5J040

Company Name:VAN WATERS AND ROGERS

Address:2256 JUNCTION AVE

City:SAN JOSE

State:CA

ZIP:95131

Country:US

Phone:408-435-8700/800-424-9300(CHEMTREC)

CAGE:0AN91

=====

=====
Composition/Information on Ingredients
=====

Ingred Name:NITRIC ACID (SARA III)

CAS:7697-37-2

RTECS #:QU5775000

Fraction by Wt: 95%

OSHA PEL:2 PPM/4 STEL

ACGIH TLV:2 PPM/4 STEL; 9192

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 LBS

=====
Hazards Identification
=====

Effects of Overexposure:MAY CAUSE EROSION OF THE TEETH. LESIONS ON THE SKIN, BRONCHIAL IRRITATION, COUGHING AND PNEUMONIA.

=====
First Aid Measures
=====

First Aid:INH: REMOVE TO FRESH AIR, GIVE ARTIFICIAL RESPIRATION IF NOT BREATHING; EYE: FLUSH EYES WITH LOTS OF RUNNING WATER FOR 15 MINUTES. LIFTING EYE LIDS OCCASIONALLY.

=====
Fire Fighting Measures
=====

Extinguishing Media:FLOOD WITH WATER OR USE WATER SPRAY.

Fire Fighting Procedures:WEAR SELF-CNTD BRTHG,APP H2O SPRAY TO COOL CONTR.

Unusual Fire/Explosion Hazard:HYDROGEN GAS WILL BE LIBERATED FROM CONTACT WITH SOME METALS; HEAT OF REACTION MAY CAUSE IGNITION.

=====
Accidental Release Measures
=====

Spill Release Procedures:WEAR ACID-RESISTANT & PROTECTIVE EQ.ALWAYS WEAR EYE PROTECTION.FOR SMALL SPILLS:MOP OR WIPE UP & DISPOSE OF IN DOT- APPROVED WASTE CONTAINERS;FOR LARGE SPILLS:CONTAIN BY DIKING W/SOIL, NEUTRALIZE W/SO DA ASH OR LIME,VENTILATE GENERATED CO2,AVOID SEWE

=====
Handling and Storage
=====

Handling and Storage Precautions:ST

ORE IN COOL, DRY WELL VENTED, LOW FIRE

RISK AREA. PROTECT FR HEAT, SHOCK KEEP CONTAINERS CLOSED.

Other Precautions: NEVER POUR WATER INTO NITRIC ACID. ALWAYS POUR ACID INTO WATER. HANDLE EMPTY CONTAINERS AS FULL.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection: IF EXCEED TLV, NIOSH/MSHA APPR SELF-CNTND BRTHG APP (POS PR MODE)

Ventilation: PROVIDE MECHAN (GEN/LOCAL EXHAUST) VENT TO MAINTN