============ Product Identification =========================

Product ID:REMOVER, PAINT, ALKALI F/HOT APPLICATION CL

MSDS Date:01/01/1987

FSC:8010

NIIN:00-227-1693

MSDS Number: BDKSZ === Responsible Party ===

Company Name: PANTHER CHEMICALL CO INC

City:FORT WORTH

State:TX ZIP:76100 Country:US

Emergency Phone Num:817-834-7164

CAGE:EO652

=== Contractor Identification ===

Company Name: PANTHER CHEM CO.,

INC.

CAGE:26264

Company Name: PANTHER CHEMICAL CO

CAGE:EO652

Company Name: TEXAS REFINERY CORP

Address:1 REFINERY PL Box:City:FORT WORTH

State:TX

ZIP:76101-5000 Country:US

Phone:817-332-1161

CAGE:26016

======= Composition/Information on Ingredients ========

Ingred Name: SODIUM HYDROXIDE (SARA III)

CAS:1310-73-2

RTECS #:WB4900000 Fraction by Wt: 70% OSHA PEL:2 MG/M3

ACGIH TLV:C 2 MG/M3; 9293

EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS

Ingred Name: SODIUM CARBONATE

CAS:497-19-8 RTECS #

:VZ4050000 Fraction by Wt: 20%
=========== Hazards Identification ============
Effects of Overexposure:CORROSIV TO ALL BODY TISSUES W/WHICH IT COMES IN CONTCT.INHAL OF DUST,SPRAY,MST:IRRIT/DAMAG RES-(SUP
======================================
First Aid:SKN:IMMED WASH CONTAM AREAS W/PLENTY OF WATR F/15 MIN.REMOVE CONTAM CLOTHING/FOOTWR & WASH CLOTHINGBEFORE REUSE.DISCARD FOOTWR THAT CANNTBE DECONTAM.SEEK MEDICAL ATTN F/BURNS/SERIO US
EXPOSR.INHAL-GET PERSN TO FRESH AIR.RESUSCITAT/ADMIN OXYGN.SEE DOCT
======================================
Flash Point:NONE Fire Fighting Procedures:PROTCTV CLOTHNG & PRESSRDEMAND,SELF-CONTND BREATHNG APPARATU Unusual Fire/Explosion Hazard:WILL REACT W/NON-FERROUS METALS; IE. ALUMINUM, TIN, ZNC, TO RELEASE FLAMMABLE HYDROGEN GAS.
========= Accidental Release Measures ============
Spill Release Procedures:WEAR SUITABLE PROTCTV EQPMT. LEAKS SHOULD BE STOPPED.SPILLSSHLD BE CONTND & CLEANED UP IMMED.MATRLSHLD BE SAFELY COLLECT F/SALVAG (OR DISPOSAL).NEUTRALIZE REMAIN TRACES OF MATRL W/ANY DILUTE INORGANIC ACID SUCH AS HYDROCHLORIC,SULFURIC,NITRIC,PHOSPHO
=========== Handling and Storage ============
Handling and Storage Precautions:KEEP CONTNR CLOS WHN NOT INUSE. STORE IN A COOL DRY AREA AWAY FROM ACIDS.WASH THORO AFT HANDLNG/CONTCT/EXPOSRCAN CAUS BURNS-NOT IMMED PAINFUL OR VISIB
Other Precautions:SIGNAL WORD:"DANGER! POISON! HARMFUL OR FATAL IF SWALLO.CAUSES SEVERE BURNS TO SKIN & EYES.CONTCT W/EYES CAN CAUS PERMANENT EYE DAMAGE. INHAL. OF DUST, MIST OR SPRAY CAN CAUS SEVERE LUNG DAMAGE
====== Exposure Controls/Personal Protection ========
Ventilation:ADEQ LOC EXHAUST VENT WHERE DUST,MIST OR SPRAY MAY BE GENERA
Protective Gloves:NATURAL & BUTYL Eye Protection:FACE SIELD,GOGG/CHEM GOG Other Protective Equipment:COVERALLS CLOSD TO T

====== Disposal Considerations =======

HE NECK.CHEMICALLY RESISTANT SHOES.

Waste Disposal Methods:PKG, STORE, TRANSPORT & DISPOS OF ALL CLEAN-UP MATRLS & ANY CONTAM EQPMT IN ACCORD W/ALL APPLICABL FED, STATE & LOC HEALTH ENVIRONMENTAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability f or its use. Any person utilizing this

document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.