

BULK CHEMICAL DIST INC. -- VV-L-800A,LUBRCTNG OIL,GEN PURPOSE,PRESRVTV  
9150-00-231-9062

===== Product Identification =====

Product ID:VV-L-800A,LUBRCTNG OIL,GEN PURPOSE,PRESRVTV

MSDS Date:01/01/1985

FSC:9150

NIIN:00-231-9062

MSDS Number: BDLDY

==== Responsible Party ===

Company Name:BULK CHEMICAL DIST INC.

Emergency Phone Num:504-362-3232

CAGE:EO174

==== Contractor Identification ===

Company Name

:BULK CHEMICAL DIV,MALTER INTERNATIONAL

Address:80 FIRST ST

City:GRETNA

State:LA

ZIP:70053

Country:US

CAGE:EO174

Company Name:BULK CHEMICALS DISTRIBUTORS,INC

Address:80 FIRST STREET

City:GRETNA,

State:LA

ZIP:70053

Country:US

Phone:504-362-3232 DISCONNECTED(2-20-92)

CAGE:56921

===== Composition/Information on Ingredients =====

Ingred Name:TRANSFORMER OIL

Fraction by Wt: 92.0%

ACGIH TLV:5MG/CUM(PER MFR

Ingred Name:CORROSION INHIBITOR IN GREASE(ALOX 2201)

Fraction by Wt: 6.0%

Ingred Name: THERMO SETTING ACRYLIC PLASTICIZER

Fraction by Wt: 1.0%

Ingred Name: FOOD-GRADE ANTIOXIDANT

Fraction by Wt: 0.5%

Ingred Name: LOW FOAMING SURFACTANT, NON-TOXIC

Fraction by Wt: 0.5%

===== Hazards Identification =====

Effects of Overexposure: EYES: CAUSES SEV IRRIT, BLURD

VISION; SKIN: REPTD/PROLNGD CONTCT CAUSES MOD IRRITATION; -SEE SUPPL DATA-

===== First Aid Measures =====

First Aid: SKIN: WASH W. SOAP & H<sup>2</sup>O

EYES: FLUSH W. H<sup>2</sup>O. INGESTED: GIVE 2

GLASSES H<sup>2</sup>O; INDUCE VOMITING. CALL A PHYSICIAN. INHALE: REMOVE TO FRESH AIR. GIVE CPR/OXYGEN IF NEED. KEEP WARM & QUIET. REMOVE CONTAMINATED CLOTHING. IF UNCONSCIOUS DO NOT TAKE ANYTHING BY MOUTH.

===== Fire Fighting Measures =====

Flash Point: 295F -(T.C.C)

Lower Limits: UNK

Upper Limits: UNK

Extinguishing Media: DRY CHEMICAL OR CARBON DIOXIDE

Fire Fighting Procedures: WATER OR FOAM MAY CAUSE FROTHING WHICH CAN BE DANGEROUS.

Unusual Fire/Explosion Hazard: NONE

===== Accidental Release Measures =====

Spill Release Procedures: SM SPILL: ABSORB LIQ ON

PAPER, VERMICULITE, COMMERCIAL ABSORBENTS & TRANSFER TO HOOD; LG SPILL: ELIMINATE IGN SOURCES. EVACUATE UNPROTECTED PERSONS. USE PROTECTIVE EQUIPMENT. STOP LEAK W/O RISK. DIKE AREA OF SPILL, PUMP LIQ TO SALVAGE TANK. SHOVEL REMAINING INTO CONT

===== Handling and Storage =====

Handling and Storage Pr

cautions:STORE IN COOL,DRY,WELL VENTILATED AREA. PROTECT FROM PHYSICAL DAMAGE.KEEP CONTAINERS CLOSED. MAINTAIN STANDARD HYGIENE FOR CHEM HANDLING.

Other Precautions:AVOID PROLONGED OR REPEATED SKIN CONTACT;OBSERVE ALL PRECAUTION IN THIS DATA SHEET WHEN HANDLING EMPTY CONTAINERS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:WEAR SELF CONTAINED BREATHING APP W/POSITIVE PRESSURE MODE.

Ventilation:LOCAL EXHAUST TO MAINTN BELOW TLV.

Prot

ective Gloves:NEOPRENE

Eye Protection:SAFETY GLASSES

Other Protective Equipment:IMPERVIOUS CLOTHING & BOOTS.

Supplemental Safety and Health

-OVER-EXPOSURE: DERMATITIS,DEFATTING;INH: MAY CAUSE NASAL/RESP IRRIT,DIZZ,NAUSEA,UNCONCIOUSNESS;ING:CAUSES GI IRRIT,VOMITG,DIAPRHEA;MSDS FROM MFR NOT DATED.

===== Physical/Chemical Properties =====

HCC:V6

Boiling Pt:B.P. Text:560F

Vapor Pres:5

Vapor Density:>1.0

Spec Gravity: