Product ID:SODIUM CARBONATE MSDS Date:01/01/1985 FSC:6810 NIIN:00-233-1715 **MSDS Number: BDLGP** === Responsible Party === Company Name: ALLIED CHEMICAL CORP. Emergency Phone Num:201-455-2000 CAGE:1L168 === Contractor Identification === Company Name: ALLIED CHEMICAL COMPANY Box:1087R CAGE:1L168 Company Name: ALLIED-SIGNAL INC Address:Box:2332R City:MORRISTOWN State:NJ ΖI P:07962-2332 Country:US Phone:201-455-4414 CAGE:1L164

Ingred Name:SODIUM CARBONATE CAS:497-19-8 RTECS #:VZ4050000 Fraction by Wt: 99.2% ACGIH TLV:UNK

Effects of Overexposure: EYES, SKIN, INHALATION; IRRITATION FROM DUST/MIST

First Aid:SKIN:WASH W SOAP AND WATER.EYES:FLUSH W WATER FOR 15

MIN.INHALATION:REMOVE TO FRESH AIR.GET MEDICAL ATTENTION.
======================================
Extinguishing Media:PRESENCE IN FIRE DOES NOT HINDER USE OF ANY STANDARD AGENT
Fire Fighting Procedures:WEAR NIOSH APPRVD SELF-CNTND BREATHING APPARATUS.
Unusual Fire/Explosion Hazard:AT DECOMPOSITION TEMPERATURE(752F) CO*2 GAS AND CAUSTIC RESIDUE FORMED.
======================================
Spill Release Procedures:SM AND LG SPILL:SHOVEL INTO CONTAINER SUITABLE FOR DISPOSAL.FLUSH RESIDUE WITH WATER.IF CONTACT WITH ACIDS,WEAR PROTECTIVE CLOTHNG.
======================================
Handling and Storage Precautions:STORE IN COOL DRY PLACE.PROTECT FROM PHYSICAL DAMAGE.AVOID STORAGE W ACIDS.USE GOOD PERSONAL HYGIENE AND HOUSE KEEPING.
======================================
Respiratory Protection: IF DUSTY/MISTY: WEAR MECH.RESPIR.CO*2; SELF-C NTND BRTHG APP.
Ventilation:MECH/LOCAL TO ELIMINATE DUST OR MIST.
Protective Gloves:CLOTH/LEATHER Eye Protection:SAFETY GLASSES
Other Protective Equipment:CHEM GOGGLES IF DUSTY/MISTY.IF CONTACT W/ACID:PROTECTV CLOTH Supplemental Safety and Health
======================================

HCC:B3 NRC/State Lic Num:NOT RELEVANT Boiling Pt:B.P. Text:DECOMP 752F Vapor Pres:NEG Spec Gravity:2.533 Evaporation Rate & amp; Reference:NEGLIGIBE Solubility in Water:APPREC IABLE Appearance and Odor:WHITE POWDER,HYGROSCOPIC-NO ODOR. Percent Volatiles by Volume:NEG

Stability Indicator/Materials to Avoid:YES AVOID ACIDS,ALUMINUM,FLUORINE,PHOSPHOROUS PENTOXIDE Stability Condition to Avoid:HIGH TEMP(CO*2 RELEASED-HAZARD WHEN INHALED) Hazardous Decomposition Products:CO*2,CAUSTIC RESIDUE

Waste Disposal Methods:CAREFULLY NEUTRALI ZE W.ACID AND FLUSH TO SEWER WITH EXCESS WATER IF PERNITTED BY DISPOSAL REGULATIONS.PROVIDE VENTIL. TO EXHAUST CO*2 PRODUCED BY NEUTRALIZATION.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this doc

ument should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.