View NSN Online: https://aerobasegroup.es/nsn/5910-00-233-6104

GENERAL ELECTRIC CO. CAPACITOR PROD. DEPT. -- 25F225 -- 5910-00-233-6104

Product ID:25F225 MSDS Date:01/01/1985 FSC:5910 NIIN:00-233-6104 MSDS Number: BDLHJ === Responsible Party === Company Name: GENERAL ELECTRIC CO. CAPACITOR PROD. DEPT. Address: JOHN ST **City:HUDSON FALLS** State:NY ZIP:12839 Country:US **Emergency Phone Num:NONE** CAGE:01002 === Contractor Identificat ion ===Company Name: GENERAL ELECTRIC CO CAPACITOR PRODUCTS DEPARTMENT Address: JOHN ST Box:City:HUDSON FALLS State:NY ZIP:12839 Country:US Phone:518-746-5750 CAGE:01002 Ingred Name: POLYCHLORINATED BIPHENYLS (PCBS) (SARA III) CAS:1336-36-3 RTECS #:TQ1350000 EPA Rpt Qty:1 LB DOT Rpt Qty:1 LB

Effects of Overexposure: ABSORBED THRU SKIN, LUNGS, INTESTINE. CAUSES

First Aid:EYES:FLUSH W/WATER IMMED.SKIN:WASH W/SOAP IMMED.INHAL:REMOVE TO FRESH AIR.GIVE ART.RESPIR. AS NEEDED.INGEST:GET MEDICAL ATTN.IMMED.GIVE LARGE QTY OF SALT WATER,INDUCE VOMITING,BUT DO NOT MAKE UNCONSCI OUS PERSON VOMIT.
======================================
Spill Release Procedures:USE ABSORBENT & DIKES TO PREVE NT
RUNOFF.ISOLATE & NOTIFY PROPER AUTHORITIES.
======================================
Handling and Storage Precautions: STORAGE MUST FOLLOW RCRA REQUIREMENTS.
======================================
Respiratory Protection:SUPPLIED AIR W/FULL FACEPIECE,HELMET OR HOOD Ventilation:LOCAL EXHAUST Protective Gloves:RUBBER-IMPERV Eye Protection:GOGGLES FACE SHIELD Other Protective Equipment:FULL CLOTHING TO PREVENT SKIN CONTACT Supplementa I Safety and Health OVEREXPOS:CAN CAUSE FORMATION OF CYSTS.CAUSES STILLBIRTHS.IRRITATES EYES,NOSE THROAT.
======================================
HCC:V1 Appearance and Odor:LIGHT STRAW COLORED-LIQUID,AROMATIC ODOR.
======================================
STRONG OXIDIZERS
======================================

Waste Disposal Methods:CONTROLLED DISPOSAL REQUIRED-GENERALLY HIGH TEMPERATURE INCINERATI

ON.ONLY APPROVED DISPOSAL OPERATOR PERMITTED.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability o f this information to their particular situation.