

C C CHEM, INC -- NITRIC ACID -- 6810-00-236-5670

===== Product Identification =====

Product ID:NITRIC ACID

MSDS Date:01/01/1985

FSC:6810

NIIN:00-236-5670

MSDS Number: BDLVB

=== Responsible Party ===

Company Name:C C CHEM, INC

Address:901 S. 15TH ST

Box:7431

City:LOUISVILLE

State:KY

ZIP:40207-0431

Country:US

Emergency Phone Num:NONE KNOWN

CAGE:KO763

=== Contractor Identification ===

Company Name:C & C CHEMICAL GROUP, INC.

Address:901 SOUTH 15TH STREET

Box:City:

LOUISVILLE

State:KY

ZIP:40207

Country:US

Phone:804-279-4371

CAGE:2U704

Company Name:C C CHEM, INC

Address:901 S. 15TH ST

Box:7431

City:LOUISVILLE

State:KY

ZIP:40207-0431

Country:US

CAGE:KO763

===== Composition/Information on Ingredients =====

Ingred Name:NITRIC ACID (SARA III)

CAS:7697-37-2

RTECS #:QU5775000

Fraction by Wt: 61.0%

OSHA PEL:2 PPM/4 STEL

ACGIH TLV:2 PPM/4 STEL; 9192

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 LBS

Ingred Name:WATER

CAS:7732-18-5

RTECS #:ZC0110000

Fra

ction by Wt: 39.0%

===== Hazards Identification =====

Effects of Overexposure:SEVERE BURNS ON CNTCT W/SKIN/EYES. VAPORS  
INJURIOUS TO LUNGS, CAUSES NITRONS GAS POISONING.

===== First Aid Measures =====

First Aid:FLUSH EYES W/ABUNDANT WATER. WASH CONTAM AREAS OF BODY W/SOAP  
& WATER. STOMACH WASH WITH, OR ORALLY ADMINISTER W/ SOAP SOLN,  
CAOH, MGO, AL(OH)3, IF SWALLOWED, FOLLOWED BY SALINE CATHARSIS.  
PROVIDE  
OXY GEN & ART RESP FOR INH.

===== Fire Fighting Measures =====

Extinguishing Media:WATER  
Fire Fighting Procedures:USE WATER SPRAY FOR FIRE-FIGHTING. FLOOD W/  
H2O FOR LG FIRES  
Unusual Fire/Explosion Hazard:AVOID ORGANIC MATLS SUCH AS SAWDUST.  
AVOID H2O, CARBIDES, ORGANIC ACIDS, OXIDIZABLE MATLS.

===== Accidental Release Measures =====

Spill Release Procedures:COVER W/SODIUM CARBONATE OR EQUAL MIXT OF SODA  
ASH & SLAKED L  
IME. AFTER MIXING, ADD WATER IF NEC TO FORM SLURRY.

===== Handling and Storage =====

Handling and Storage Precautions:PROT AGAINST PHYSICAL DAMAGE. SEPARATE  
FROM METALLIC POWDERS, CARBIDES, H2S, TURPENTINE, ORGANIC ACIDS &  
ALL COMBUST ORGANIC OR OTHER READ OXIDIZER.  
Other Precautions:PROVIDE GOOD VENT & AVOID DIRECT SUNLIGHT. WEAR  
RUBBER GLOVES, SELF-CNTND BRTHNG APPARATUS, PROT WORKING CLOTHING &  
BODY PROT SHLD. RUNOFF TO SEWER CAUSE FIRE OR  
EXPLSN.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:SELF-CNTND BRTHNG APPARATUS, FACE MASK  
Ventilation:LOCAL EXHST REC  
Protective Gloves:RUBBER  
Eye Protection:SAFETY GOGGLES  
Other Protective Equipment:PROT WORKING CLOTHING & BODY PROT SHLD, R  
SHOES  
Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:C1  
Boiling Pt:B.P. Text:187F,86C  
Spec Gravity:1.381  
Solubility in Water:APPRECIABLE  
Appearan

ce and Odor:COLORLESS TO SLIGHTLY YELLOW CORROSIVE LIQUID WITH  
A PUNGENT ODOR.

Percent Volatiles by Volume:100

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

METALLIC POWDERS,CARBIDES,H<sub>2</sub>S,ORG ACIDS,COMBUSTIBLES, OXIDES

Stability Condition to Avoid:MIXING W/STRONG ALKALI, ORGANIC MATTER,  
HYDROGEN SULFIDE.

Hazardous Decomposition Products:NITROGEN OXIDE GASES

===== Disposal Considerations =====

==

Waste Disposal Methods:ADD SLOWLY TO LG AMTS SOLN OF SODA ASH & SLAKED  
LIME BY STIRRING. DO NOT FLUSH DOWN DRAINS. DISCHARGE SOLN W/LG AMT  
WATER INTO APPRVD DISPOSAL AREA.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use.

Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.