

===== Product Identification =====

Product ID:350B THINNER

MSDS Date:01/01/1985

FSC:8010

NIIN:00-242-2089

MSDS Number: BDMQR

=== Responsible Party ===

Company Name:CHEVRON CHEMICAL CO AGRICULTURAL CHEMICAL DIV

Address:575 MARKET ST

Box:3744

City:SAN FRANCISCO

State:CA

ZIP:94119

Country:US

Info Phone Num:415-233-3737

Emergency Phone Num:415-233-3737

CAGE:2H740

=== Contractor Ident

ification ===

Company Name:CHEVRON PRODUCTS CO GLOBAL LUBRICANTS

Address:555 MARKET STREET ROOM 803

Box:City:SAN FRANCISCO

State:CA

ZIP:94105-2870

Country:US

Phone:800-228-3500/415-894-0703

CAGE:2H740

===== Composition/Information on Ingredients =====

Ingred Name:PARAFFINS(INCLUDING NAPHTHENES)

Fraction by Wt: 98%

Ingred Name:C*8+(EIGHT CARBONS PLUS)

Fraction by Wt: 2%

Ingred Name:BENZENE (SARA III)

CAS:71-43-2

RTECS #:CY1400000

OSHA PEL:1PPM/5STEL;1910.1028

ACGIH TLV:10 P

PM; A2; 9192
EPA Rpt Qty:10 LBS
DOT Rpt Qty:10 LBS

===== Hazards Identification =====

Effects of Overexposure:EYE: MINOR IRRIT. SKIN: IRRIT,CRACKD/DRY FROM
DEFATTING. INH: CNS DEPRESSN. INGEST:VOMIT,PNEUMONITIS

===== First Aid Measures =====

First Aid:EYE: FLUSH W/ WATER FOR 15 MIN. SEE DOCTOR IF IRRIT PERSISTS.
SKIN: WASH W/ SOAP & WATER. REMOVE & WASH CONTAMINATED CLOTHES
BEFORE REUSE. INHAL: REOVE TO FRESH
AIR,APPLY ARTIF RESP IF
NEC,CALL DOCTOR IMMED. INGEST: DO NOT INDUCE VOMIT,SEESUPP DATA

===== Fire Fighting Measures =====

Flash Point:105F;41C; TCC
Lower Limits:1
Upper Limits:6
Extinguishing Media:CO*2,DRY CHEM,FOAM,WATER SPRAY
Fire Fighting Procedures:WEAR PROPER PROTECT EQUIP-INCLUDING SELF-CONT
BRTH APPAR
Unusual Fire/Explosion Hazard:NORMAL PRODUCTS OF COMBUSTION & OXYGEN
DEFICIENCY SUCH AS CO*2,WATER VAPOR & CARBON MONOXIDE

=====

===== Accidental Release Measures =====

Spill Release Procedures:ABSORB LARGE SPILLS W/ ABSORBENT
CLAY,DIATOMACEOUS EARTH,OR OTHER SUITABLE MATRL AS SOON AS
POSSIBLE. A FIRE OR VAPOR HAZARD MAY EXIST SINCE THESE CLEANUP
MATERIALS WILL ONLY ABSORB LIQ;THEY WILL NOT ABSORB VAPOR. OBSERVE
ALL PRECAUTIONS OF PRODUCT

===== Handling and Storage =====

Handling and Storage Precautions:DO NOT STORE NEAR FLAME,SPARKS OR HOT
SURFACES.

USE ONLY IN WELL VENTED AREA. KEEP CONTAINER CLOSED. DO NOT WELD,DRILL OR HEAT CONTAINER.
Other Precautions:REPLACE CAP OR BUNG. EMPTIED CONTAINER STILL CONTAINS HAZARDOUS OR EXPLOSIVE VAPOR OR LIQUID. DO NOT USE PRESSURE TO EMPTY DRUM OR EXPLOSION MAY RESULT.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NIOSH/MSHA APPRVD ORGANIC VAPOR CART OR AIR-SUPPLIED RESP (MFR)
Ventilation:ADEQUATE VENT TO KEEP CONC BELOW TLV
Protective Gloves:RUBBER
Eye Protection:CHEM SAFETY GOGGLES
Other Protective Equipment:IMPERVIOUS PROTECTIVE CLOTHING
Supplemental Safety and Health
FLASH PT: 116F;47C;TOC. VISCOSITY: 1.072CST @ 100F. MOLECULAR WT: 142(AVG). FIRST AID: INGEST-VOMITING CAN RESULT IN ASPIRATION WHICH CAN CAUSE PNEUMONITIS,CALL MD IMMEDIATELY. SIZE: 1 GAL

===== Physical/Chemical Properties =====

HCC:F4
Boiling Pt:B.P. Text:314-387F
Vapor Pres:5
Vapor Density:4.9
Spec Gravity:0.79
Evaporation Rate & Reference:0.13 (BUAC=1)
Solubility in Water:INSOLUBLE
Appearance and Odor:COLORLESS LIQUID
Percent Volatiles by Volume:99

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZING MATERIAL
Hazardous Decomposition Products:NORMAL COMBUST: CO*2,WATER VAPOR;INCOMPLETE COMBUST: CO

===== Disposal Considerations =====

Waste Disposal Methods:MFR RECOMMENDS PLACING CONTAMINATED MATERIAL

LS IN
DISPOSAL CONTAINERS & BURYING IN AN APPROVED DUMPING AREA. DISPOSAL
METHOD MUST BE IAW FED, STATE & LOCAL CODES.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek compete
nt professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.