

===== Product Identification =====

Product ID:REPRODOL P DEVELOPER, PART B

MSDS Date:03/03/1988

FSC:6750

NIIN:00-249-7468

Kit Part:Y

MSDS Number: BDNRK

=== Responsible Party ===

Company Name:ANITEC IMAGE CORPORATION

Address:40 CHARLES STREET

Box:4444

City:BINGHAMPTON

State:NY

ZIP:13902

Country:US

Info Phone Num:SAME

Emergency Phone Num:607-774-3806

CAGE:61263

=== Contractor Identification ===

Company Name:ANITEC IMAGE CORP

Address:40 CHARLES ST

Box:4444

City:BINGHAMTON

State:NY

ZIP:13902

Country:US

Phone:607-774-3333

CAGE:61263

===== Composition/Information on Ingredients =====

Ingred Name:SODIUM FORMALDEHYDE BISULFITE

CAS:870-72-4

RTECS #:PB2200000

Fraction by Wt: 6.0%

Ingred Name:BORIC ACID

CAS:10043-35-3

RTECS #:ED4550000

Fraction by Wt: 3.0%

Ingred Name:SODIUM CARBONATE

CAS:497-19-8

RTECS #:VZ4050000

Fraction by Wt: 70%

===== Hazar

ds Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:IRRITANT TO ALL BODY TISSUES.
Effects of Overexposure:SKIN:CAUSES IRRIT ON PROLONGED/REPEATED
CONTACT; INHAL/INGESTION: OVER-EXPOSURE EFFECTS NOT KNOWN
Medical Cond Aggravated by Exposure:ANY PREEXISTING SENSITIVITY OR
ALLERGY.

===== First Aid Measures =====

First Ai

d:INHALE:REMOVE TO FRESH AIR, GIVE CPR/O*2 IF
NEED;EYES/SKIN:FLUSH W LG AMTS H*20 FOR 15 MIN;INGEST:RINSE MOUTH;
GET MEDICAL ATTENTION FOR EYES, BREATHING DIFFICULTY, OR OTHER
SYMPTOMS OF OVEREXPOSURE.

===== Fire Fighting Measures =====

Flash Point:NONE
Extinguishing Media:EXTINGUISH WITH AGENT SUITABLE FOR SURROUNDING FIRE
Fire Fighting Procedures:WEAR SELF-CNTD BRTHG,APP H*20 SPRAY TO COOL
CONTR.
Unusual Fire/Explosion Hazard:NONE NOTED BY MA
NUFACTURER.

===== Accidental Release Measures =====

Spill Release Procedures:ELIMINATE IGNITION SOURCES. STOP LEAK.
EVACUATE AREA.DO NOT TOUCH SPILLAGE. SM SPILL:ABSORB W. INERT
ABSORBENT. PLACE IN CLOSED CONTAINER. FLUSH AREA W. WATER. LG
SPILL: DIKE AHEAD FOR LATER DISPOSAL. NOTIFY AUTHORITIES.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL,DRY,WELL VENTILATED
AREA. PROTECT FROM
PHYSICAL DAMAGE.AVOID ANY PHYSICAL CONTACT. KEEP
CONTAINERS TIGHTLY CLOSED
Other Precautions:KEEP MATERIAL DRY.WASH HANDS AFTER HANDLING.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:WEAR DUST MASK
Ventilation:MECHANICAL (GENERAL/LOCAL EXHAUST)
Protective Gloves:IMPERVIOUS
Eye Protection:CHEM SPLASH GOGGLES
Other Protective Equipment:FULL WORK CLOTHING TO PREVENT REPEATED OR
PROLONGED CONTACT.
Work Hygienic Practices:MATERIAL IS STRONGLY A

LKALINE. AVOID SKIN-EYE

CONTACT. DO NOT INHALE OR INGEST. WASH AFTE HANDLING.

Supplemental Safety and Health

PART B OF TWO-PART A/B KIT. MFR STATED 16AUG88 THAT THIS DEVELOPER IS
NO LONGER MANUFACTURED IN DRY POWDER FORM-ONLY MIXED LIQUID-READY
TO USE FORM-IS AVAILABLE.

===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:NOT KNOWN

Solubility in Water:COMPLETE

Appearance and Odor:WHITE SOLID

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

NONE

Stability Condition to Avoid:AVOID MOISTURE CONTACT

Hazardous Decomposition Products:MAY EMIT OXIDES OF SULFUR ON THERMAL
DECOMPOSITION

===== Disposal Considerations =====

Waste Disposal Methods:KEEP IN COVERED DRUMS,PENDING DISPOSAL. HANDLE &
DISPOSE IN FULL COMPLIANCE WITH ALL APPLICABLE
INTERNATIONAL,FEDERAL,STATE, & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.