

OCTAGON PROCESS INC. -- O-S-801C,CLASS 3;SULFURIC ACID,ELECTR GRADE --
6810-00-249-9354

=====
Product Identification
=====

Product ID:O-S-801C,CLASS 3;SULFURIC ACID,ELECTR GRADE

MSDS Date:09/21/1984

FSC:6810

NIIN:00-249-9354

MSDS Number: BDNSL

=== Responsible Party ===

Company Name:OCTAGON PROCESS INC.

Address:596 RIVER ROAD

City:EDGEWATER

State:NJ

ZIP:07020-1105

Info Phone Num:201-945-9400

Emergency Phone Num:201-945-9400

Preparer's Name:IRIS CHARMS

CAGE:8292

5

=== Contractor Identification ===

Company Name:OCTAGON PROCESS INC.

Address:596 RIVER ROAD

Box:City:EDGEWATER

State:NJ

ZIP:07020

Country:US

Phone:201-945-9400

CAGE:82925

Company Name:PRIORITY CHEMICAL CO

Address:200 MADISON AVE SUITE 1904

Box:City:NEW YORK

State:NY

ZIP:10016

Country:US

Phone:201-345-0991

CAGE:49859

=====
Composition/Information on Ingredients
=====

Ingred Name:SULFURIC ACID (SARA III)

CAS:7664-93-9

RTECS #:WS5600000

Fraction by Wt: 36.9%

OSHA PEL:1 MG/M3

A

CGIH TLV:1 MG/M3; 9192
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:WATER
CAS:7732-18-5
RTECS #:ZC0110000
Fraction by Wt: BALANCE

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Effects of Overexposure:SKIN AND EYES: SEVERE BURNS. INHALATION:
PULMONARY EDEMA, INJURY TO LUNGS. INGESTION: GASTROINTESTINAL TRACT
DAMAGE OR DEATH.
Medical Cond Aggravated
by Exposure:NONE NOTED.

=====
===== First Aid Measures =====

First Aid:EYES: IMMEDIATELY FLUSH EYES WITH WATER FOR AT LEAST 15
MINUTES. SEE DOCTOR IMMEDIATELY. SKIN: REMOVE CONTAMINATED
CLOTHING. WASH WITH SOAP AND WATER. SEE DOCTOR IMMEDIATELY.
INHALATION: GET FRESH AIR . GIVE OXYGEN/CPR IF NEEDED. SEE DOCTOR.
INGESTION: DRINK LARGE AMOUNTS OF WATER, MILK OR MILK OF MAGNESIA
IF CONSCIOUS. NOTHING BY MOUTH IF UNCONSCIOUS. DO NOT INDUCE
V
OMITING. SEE DOCTOR IMMEDIATELY

=====
===== Fire Fighting Measures =====

Flash Point:NONE
Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL, FOAM, WATER SPRAY.
Fire Fighting Procedures:KEEP FIRE EXPOSED CONTAINERS COOL WITH WATER
SPRAY. DO NOT PERMIT WATER TO CONTACT ACID.
Unusual Fire/Explosion Hazard:MAY CAUSE FIRE WHEN IN CONTACT WITH OTHER
ORGANIC MATERIALS. WILL ATTACK SOME METALS RELEASING HYDROGEN GAS.

=====
===== Accidental Release Measures

=====

Spill Release Procedures:ZONE OFF CONTAMINATED AREA. NEUTRALIZE TO PH 6-8 WITH SODA ASH. FLUSH AREA UPWIND SIDE WITH WATER FROM SAFE DISTANCE TO SEWER. WEAR PROTECTIVE CLOTHING.

Neutralizing Agent:SODA ASH

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN A COOL, DRY, WELL VENTILATED AREA. KEEP AWAY FROM HEAT OPEN FLAMES AND OXIDIZING MATERIALS. KEEP CONTAINERS CLOSED WHEN NOT IN USE.

Other Precauti

ons:AVOID CONTACT WITH EYES AND SKIN. ALWAYS USE PERSONAL PROTECTION. WASH THOROUGHLY AFTER EACH USE. DO NOT BREATHE ACID MIST. DO NOT USE CONTAMINATED CLOTHES.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE NIOSH/MSHA APPROVED SCBA IN ENCLOSED AREA OR RESPIRATOR FOR ACID MIST.

Ventilation:LOCAL EXHAUST TO MAINTAIN BELOW TLV.

Protective Gloves:NEOPRENE, PVC

Eye Protection:GOGGLES/FACE SHIELD

Other Protective Equipment:FULL PROTECTIVE CLOTHING, SAFETY SHOWER, EYE WASH STATION

Work Hygienic Practices:WASH HANDS THOROUGHLY AFTER USE. DO NOT SMOKE, DRINK, OR EAT WHILE HANDLING MATERIAL.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:C1

Boiling Pt:B.P. Text:212F,100C

Spec Gravity:1.28

Evaporation Rate & Reference:< 1.0 (BUTYL ACETATE = 1)

Solubility in Water:COMPLETE

Appearance and Odor:OFF WHITE TO STRAW COLORED LIQUID. PRACTICALLY ODORLESS.

Percent Volat

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES

ALKALINE MATERIALS, SALTS OF OTHER ACIDS, HYDRATED MATERIALS,
COMBUSTIBLES, AND ORGANIC MATERIALS.

Stability Condition to Avoid: EXTREME HEAT, MOISTURE

Hazardous Decomposition Products: OXIDES OF SULFUR, HYDROGEN SULFIDE,
HYDROGEN GAS

===== Disposal Considerations =====

Waste Disposal Methods: DISPOSE OF COLLECTED MATERIAL IN ACCORDANCE WITH
LOCAL, STATE, AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.