

CASTROL INC -- BRAYCO MICRONIC 756E -- 9150-00-252-6383

===== Product Identification =====

Product ID:BRAYCO MICRONIC 756E

MSDS Date:01/01/1987

FSC:9150

NIIN:00-252-6383

MSDS Number: BDNYL

==== Responsible Party ===

Company Name:CASTROL INC

Address:1925 N MARIANNA AVE

City:LOS ANGELES

State:CA

ZIP:90032-4007

Country:US

Emergency Phone Num:213-575-1212

CAGE:98308

==== Contractor Identification ===

Co

mpany Name:CASTROL INDUSTRIAL NORTH AMERICA INC.

Address:5511 DISTRICT BLVD

Box:City:LOS ANGELES

State:CA

ZIP:90040

Country:US

Phone:213-890-4420

CAGE:98308

===== Composition/Information on Ingredients =====

Ingred Name:TRIORTHOCHRESYL PHOSPHATE

CAS:78-30-8

RTECS #:TD0350000

OSHA PEL:S, 0.1 MG/M3

ACGIH TLV:S, 0.1 MG/M3; 9192

Ingred Name:HYDRAULIC FLUID,PETROLEUM BASE

ACGIH TLV:5 MG/CUM O-MIST

===== Hazards Identification =====

Effects of Ov

ereposure:EYE/SKIN: IRRITATION.

===== First Aid Measures =====

First Aid:EYE: FLUSH WITH WATER 15 MINUTES,CONSULT PHYSICIAN. SKIN: WASH WITH SOAP AND WATER. INGESTION: DO NOT INDUCE VOMITING,CALL PHYSICIAN.

===== Fire Fighting Measures =====

Flash Point:215F/101C (COC)

Extinguishing Media:DRY CHEMICAL,CARBON DIOXIDE,FOAM,WATER FOG

Fire Fighting Procedures:SELF-CONTAIN BREATH APP,WATER FOG TO COOL EXPOSED CONTAINERS

===== Accidental Release Measures =====

Spill Release Procedures:STOP FLOW,SECURE SOURCES OF IGNITION. WIPE,MOP UP OR ABSORB WITH CLAY,DIATOMACEOUS EARTH OR OTHER INERT MATERIAL. STORE IN CLOSED METAL CONTAINERS.

===== Handling and Storage =====

Handling and Storage Precautions:DO NOT STORE NEAR HEAT,OPEN FLAME OR OTHER SOURCES OF IGNITION.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NIOSH/MSHA APPROVED RESP DEVICE IN ACCORD WITH EXPOSURE OF CONCERN.

Ventilation:LOCAL/MECHANICAL IF OIL MIST EXCEEDS TLV.

Protective Gloves:PLASTIC/RUBBER

Eye Protection:SAFETY GLASSES

Supplemental Safety and Health

CONTAINER SIZE: 1 QT CAN

===== Physical/Chemical Properties =====

HCC:V6

Boiling Pt:B.P. Text:>400F/204C

Spec Gravity:0.875

Solubility in Water:NEGLIGIBLE

Appearance and Odor:LOW VISCOSITY FLUID,DYED RED,PETROLEUM ODOR.

=====

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES

STRONG OXIDIZING AGENTS

Hazardous Decomposition Products: CARBON MONOXIDE & ASPHYXIANTS.

===== Disposal Considerations =====

Waste Disposal Methods: COMPLY WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United

States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.