

DAUBERT CHEMICAL COMPANY -- NOX RUST X-205 (FORMERLY NOXRUST 314) --
8030-00-252-8300

===== Product Identification =====

Product ID:NOX RUST X-205 (FORMERLY NOXRUST 314)

MSDS Date:01/01/1985

FSC:8030

NIIN:00-252-8300

MSDS Number: BDNYS

=== Responsible Party ===

Company Name:DAUBERT CHEMICAL COMPANY

Address:1200 JORIE BLVD

City:OAK BROOK

State:IL

ZIP:60521-2210

Country:US

CAGE:02847

=== Contractor

Identification ===

Company Name:DAUBERT CHEMICAL CO

Address:1200 JORIE BLVD

City:OAK BROOK

State:IL

ZIP:60521-2210

Country:US

CAGE:02847

===== Composition/Information on Ingredients =====

Ingred Name:BARIUM SOAP OF HIGH MOLECULAR WEIGHT OXIDIZED PETROLATUM

Fraction by Wt: 10%

Ingred Name:MORPHOLINE SOAP OF CLEIC ACID

Fraction by Wt: 8%

Ingred Name:PETROLEUM OIL & CO-SOLVENTS

Fraction by Wt: 51%

Ingred Name:NAPHTHA (PETROLEUM SPIRITS OR BENZIN)

CAS:8030-30-6

RTECS #:SE75550

00
Fraction by Wt: 31%
OSHA PEL:100 PPM

===== Hazards Identification =====

Effects of Overexposure:AVOID SKIN & EYE CONTACT

===== First Aid Measures =====

First Aid:SKIN:WASH W/ SOAP & WATER. EYES:IMMEDIATELY FLUSH W/WATER AT
LEAST 15 MIN. CALL MD. INHALATION:REMOVE TO FRESH AIR.

===== Fire Fighting Measures =====

Flash Point:100 F PMCC
Lower Limits:0.7
Upper Limits:6.0
Extinguishi
ng Media:CO*2, FOAM
Fire Fighting Procedures:TREAT AS PETROLEUM OIL & SOLVENT FIRE
Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:SHUT OFF LEAK. DIKE LARGE SPILLS. KEEP AWAY
FROM OPEN FLAMES OR SPARKS

===== Handling and Storage =====

Handling and Storage Precautions:TREAT AS LOW FLASH SOLVENT.

===== Exposure Controls/Personal Protection =====

Protective
Gloves:OIL RESISTANT
Eye Protection:GOGGLES RECOMMENDED
Supplemental Safety and Health
BOILING POINT GIVEN FOR SOLVENT. VAPOR PRESSURE GIVEN @ 100F. PRODUCT
CONFORMS TO MIL-C-15074C

===== Physical/Chemical Properties =====

HCC:F4
Boiling Pt:B.P. Text:311 TO 392F
Vapor Pres:0.3
Spec Gravity:0.89
Appearance and Odor:AMBER OIL-MINERAL OIL ODOR.
Percent Volatiles by Volume:42

===== Stability and Reactivity Data =====

Stability Indicator/M

aterials to Avoid:YES

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE IN ACCORDANCE W/LOCAL,STATE AND FEDERAL REGULATIONS. RCRA CLASSIFICATION D005 261.24 (BARIUM), RCRA CLASSIFICATION 261.21 (LOW FLASH

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.