

V.W.HARRIS CO.,INC -- 718(4047) -- 3439-00-262-4175

=====
Product Identification
=====

Product ID:718(4047)
MSDS Date:01/01/1987
FSC:3439

NIIN:00-262-4175
MSDS Number: BDPXX

=== Responsible Party ===

Company Name:V.W.HARRIS CO.,INC
Emergency Phone Num:513-891-2000
CAGE:KO943

=== Contractor Identification ===

Company Name:J. W. HARRIS CO., INC.
Address:10930 DEERFIELD ROAD
Box:City:CINCINNATI

State
:OH
ZIP:45242-4110

Country:US
Phone:513-891-2000
CAGE:27911

Company Name:V.W.HARRIS CO.,INC
CAGE:KO943

=====
Composition/Information on Ingredients
=====

Ingred Name:ALUMINUM (SARA III)
CAS:7429-90-5
RTECS #:BD0330000
Fraction by Wt: 86.5%
OSHA PEL:15MG/M3 DUST/5 FUME
ACGIH TLV:10MG/M3 DUST; 9192

Ingred Name:SILICON
CAS:7440-21-3
RTECS #:VW0400000
Fraction by Wt: 12%
OSHA PEL:15 MG/M3 TDUST
ACGIH TLV:10 MG/M3 TDUST; 9293

Ingred Name:IRON OXIDE
CAS:1309-37-1
RTECS #:NO74000

00
Fraction by Wt: 0.8%
OSHA PEL:10 MG/M3 (FE)
ACGIH TLV:5 MG/M3(FE),B2; 9293

Ingred Name:COPPER (SARA III)
CAS:7440-50-8
RTECS #:GL5325000
Fraction by Wt: 0.3%
OSHA PEL:0.1MG/M3 FUME/1 DUST
ACGIH TLV:0.2MG/M3 FUME; 9192
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingred Name:MANGANESE (SARA III)
CAS:7439-96-5
RTECS #:OO9275000
Fraction by Wt: 0.15%
OSHA PEL:(C) 5 MG/M3 DUST
ACGIH TLV:5 MG/M3 DUST 9293

=====
Hazards Identification
=====

Effects of Overexposu
re:SHORT TERM:DISCOMFORT,DIZZINESS,NAUSEA,DRYNESS
OF THROAT;LONG TERM:PULMONARY IRRITA OR PNEUMOCANIOSI

=====
First Aid Measures
=====

First Aid:REMOVE FROM DUST OR FUME EXPOSURE.IF BREATHING HAS
STOPPED,PERFORM ARTIFICIAL RESPIRATION.SUMMON MEDICAL AID IMMED.

=====
Fire Fighting Measures
=====

Extinguishing Media:NONE
Fire Fighting Procedures:NONE
Unusual Fire/Explosion Hazard:WELDING ARC,OPEN FLAME AND SPARKS C
AN
IGNITE COMBUSTIBLES.

=====
Accidental Release Measures
=====

Spill Release Procedures:NONE

=====
Handling and Storage
=====

Handling and Storage Precautions:READ AND UNDERSTAND THE MFG'S
INSTRUCTION & THE PRECAUTIONARY LABEL ON THE PRODUCT.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:WELDER'S FUME RESPIRATOR
Ventilation:ADEQUATE VENTILATION
Protective Gloves:WELDER'S.
Ey

Protection:GOGGLES/FACE SHIELD
Other Protective Equipment:PROTECTIVE CLOTHING
Supplemental Safety and Health
MSDS DATED 11-85. OTHER INGRED INCLUDE:MAGNESIUM(0.1%),ZINC(0.2%).

===== Physical/Chemical Properties =====

HCC:N1
Appearance and Odor:SOLID WIRE OR ROD

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
NONE
Stability Condition to Avoid:NONE
Hazardous Decomposition Products:WELDING FUMES & GASES
CAN NOT BE
CLASSIFIED SIMPLY

===== Disposal Considerations =====

Waste Disposal Methods:KEEP IN COVERED DRUMS,PENDING DISPOSAL. HANDLE &
DISPOSE IN FULL COMPLIANCE WITH ALL APPLICABLE
INTERNATIONAL,FEDERAL,STATE, & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.