

SHORE CHEMICAL -- N-1005 -- 8040-00-262-9062

===== Product Identification =====

Product ID:N-1005

MSDS Date:01/01/1987

FSC:8040

NIIN:00-262-9062

Kit Part:Y

MSDS Number: BDQFV

=== Responsible Party ===

Company Name:SHORE CHEMICAL

Address:100 MAIN ST

City:ALLENHURST

State:NJ

ZIP:07711-1131

Country:US

CAGE:0FZD5

=== Contractor Identification ===

Company Name:SHORE CHEMICAL

Address:100 MAIN ST

Box:8

City:ALLENHURST

Phone:(201)229-5400

CAGE:0FZD5

Company Name:SHORE

-UBS CHEMICAL CO INC

Address:100 MAIN ST

Box:City:ALLENHURST

State:NJ

ZIP:07711-1131

Country:US

Phone:201-531-7300

CAGE:31711

===== Composition/Information on Ingredients =====

Ingred Name:METALLIC OXIDES

Fraction by Wt: 0.4%

Ingred Name:RUBBER, NAUTRAL

Ingred Name:TOLUENE (SARA III)

CAS:108-88-3

RTECS #:XS5250000

OSHA PEL:200 PPM/150 STEL

ACGIH TLV:50 PPM; 9293

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 LBS

Ingred Name:HEXANE (N-HEXANE)

CAS:110-54-3

RTECS #:MN9275000

OSHA PEL

:500 PPM
ACGIH TLV:50 PPM; 9293
EPA Rpt Qty:1 LB
DOT Rpt Qty:1 LB

Ingred Name:N-HEPTANE
CAS:142-82-5
RTECS #:MI7700000
OSHA PEL:500 PPM/500 STEL
ACGIH TLV:400 PPM/500STEL;9293

===== Hazards Identification =====

Effects of Overexposure:NARCOSSIS AND/OR POSSIBLE HEADACHE OR BRONCHIAL CATARRH.

===== First Aid Measures =====

First Aid:FRESH AIR-SEE DR.

===== Fire Fighting Measures =====

=

Flash Point:20F -7C
Lower Limits:1.2
Upper Limits:8.0
Extinguishing Media:DRY CHEMICAL, CO*2,FOAM, TRICHLOROETHANE
Fire Fighting Procedures:SELF-CONTAINED BREATHING APPARATUS SHOULD BE WORN.
Unusual Fire/Explosion Hazard:KEEP AWAY FROM OPEN FLAME,SPARKS,HOT SURFACES AND OXIDIZERS.

===== Accidental Release Measures =====

Spill Release Procedures:WIPE UP.

===== Handling and Storage =====

Handling and Storage Precautions:
DO NOT STORE NEAR HEAT OR IN DIRECT
SUNLIGHT.STORE IN SOLVENT.STORAGE AREA.

===== Exposure Controls/Personal Protection =====

Ventilation:LOCAL EXHAUST
Protective Gloves:YES
Eye Protection:SAFETY GLASSES
Supplemental Safety and Health
NATURAL RUBBER ADHESIVE,NIOSH 1001149RA

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:152 F-66C
Vapor Pres:5.4
Vapor Density:0.69
Evaporation Rate & Reference:(BV AC=1) 5.7
Solubility in Wate

r:NONE
Appearance and Odor:WHITE
Percent Volatiles by Volume:93.5

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
Hazardous Decomposition Products:OXIDES OF ZINC AND SULFUR,METHANE
GAS,OXIDES OF CARBON

===== Disposal Considerations =====

Waste Disposal Methods:SOLVENT DISPOSAL PROCEDURES.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.