View NSN Online: https://aerobasegroup.es/nsn/6810-00-264-5906

Product ID: ETHYL ALCOHOL MSDS Date:01/01/1987 FSC:6810 NIIN:00-264-5906 **MSDS Number: BDQLF** === Responsible Party === Company Name: SHELL CHEMICAL COMPANY Address:1 SHELL PLAZA Box:2463 **City:HOUSTON** State:TX ZIP:77001 Country:US Info Phone Num:713-241-4819 Emergency Phone Num:713-473-9461 CAGE:86961 === Co ntractor Identification === Company Name: SHELL CHEMICAL COMPANY A DIV. OF SHELL OIL CO. Address:1 SHELL PLAZA Box:2463 **City:HOUSTON** State:TX ZIP:77001 Country:US Phone:713-473-9461 CAGE:86961 Ingred Name: ETHYL ALCOHOL (ETHANOL) CAS:64-17-5 RTECS #:KQ6300000 Fraction by Wt: 100% OSHA PEL:1000 PPM ACGIH TLV:1000 PPM; 9192

Effects of Overexposure: IRRITATION O

F EYES & RESPIRATORY TRACT, FATIGUE, NAUSEA, NARCOSIS

======================================
First Aid:IRRIGATE EYES W/WATER. WASH SKIN W/SOAP & WATER.
======================================
Flash Point:55F/12.8C/TCC Lower Limits:4.3 Upper Limits:19 Extinguishing Media:CARBON DIOXIDE,DRY CHEMICAL,ALCOHOL FOAM,STEAM Fire Fighting Procedures:AS APPROPRIATE FOR FLAMMABLE,WATER-SOLUBLE LIQUID
======================================
Spill Release Procedures: REMOVE ALL SOURCES OF IGNITION.
======================================
Handling and Storage Precautions:PROTECT CONTAINERS AGAINST PHYSICAL DAMAGE. STORE INDOORS IN WELL-VENTILATED AREA. ELIMINATE SOURCES OF STATIC ELECTRICITY.
======================================
Respiratory Protection:IF NECES,CHEM CARTRIDGE RESPIR. Ventilation:ADEQUATE TO KEEP VAPOR CONC BELOW TLV Pr
otective Gloves:RUBBER Eye Protection:GOGGLES Other Protective Equipment:RUBBER BOOTS & APRON Supplemental Safety and Health
======================================
HCC:F2 Boiling Pt:=77.8C, 172.F Vapor Pres:44 Vapor Density:1.6 Spec Gravity:0.79 Evaporation Rate & amp; Reference:1.6 (NBUAC=1)

Solubility in Water:COMPLETE Appearance and Odor:COLORLESS,MOBILE LIQUID,PLEASANT ODOR Percent Volatiles by Volume:100

====== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES STRONG OXIDIZERS. Stability Condition to Avoid:EXTREME HEAT,SOURCES OF IGNITION

Waste Disposal Methods: INCINERATION

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this informati on to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.