Product ID:921R2104 EPOXY PRIMER PART A

MSDS Date:01/01/1985

FSC:8010

NIIN:00-264-8866

MSDS Number: BDQXB === Responsible Party ===

Company Name: SCM-GLIDDEN COATINGS & RESINS DIV.

Address:925 EUCLID AVE

City:CLEVELAND

State:OH ZIP:44115 Country:US CAGE:DO630

=== Contractor Identification ===

Company Name: GLIDDEN CO MEMBER OF ICI WORLD PAINT

S

Address:925 EUCLID AVE

Box:15049

City:CLEVELAND

State:OH ZIP:44115 Country:US

Phone:216-344-8000

CAGE:72818

Company Name: SCM-GLIDDEN COATINGS & RESINS DIVISION

Address:925 EUCLID AVENUE

City:CLEVELAND

State:OH ZIP:44115

Phone: (216) 826-5566

CAGE:DO630

======= Composition/Information on Ingredients ========

Ingred Name:XYLENES (O-,M-,P- ISOMERS) (SARA III)

CAS:1330-20-7

RTECS #:ZE2100000 Fraction by Wt: 22%.

OSHA PEL:100 PPM/150 STEL ACGIH TLV:100 PPM/150STEL;9192

EPA Rpt Qty:100

0 LBS DOT Rpt Qty:1000 LBS

Ingred Name: LEAD (SARA III)

CAS:7439-92-1

RTECS #:OF7525000 Fraction by Wt: 10.0%

OSHA PEL:0.05 MG/M3;1910.1025 ACGIH TLV:0.15 MG/M3;DUST 9192

EPA Rpt Qty:1 LB DOT Rpt Qty:1 LB

Ingred Name: CHROMIUM ION (CR 6+)

CAS:18540-29-9 RTECS #:GB6262000 Fraction by Wt: 0.65%

OSHA PEL:C, 0.1 MG/M3 (CRO3) ACGIH TLV:0.05 MG/M3 (CR);8990

Ingred Name:2-METHOXYETHANOL (EGME) (SARA III)

CAS:109-86-4

RTECS #:KL5775000 Fraction by Wt: 4.0% OSHA PEL:S, 25 PPM ACGIH TLV:S, 5 PPM; 9192

Ingred Name: METHYL ETHYL KETONE (2-BUTANONE) (MEK) (SARA III)

CAS:78-93-3

RTECS #:EL6475000 Fraction by Wt: 3%

OSHA PEL:200 PPM/300 STEL


ACGIH TLV:200 PPM/300STEL 9192

EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

============= Hazards Identification ========================

Effects of Overexposure:IRRIT OF YEYS,SKIN, RESP TRACT. HDACHE,DIZZ, UNCONSCIOUSNESS,OR COMA. DERMATITIS ON PROLONG CONTACT.

First Aid:MOVE TO



osal Considerations =========

Waste Disposal Methods:DO NOT INCINERATE CLOSED CONTAINERS. DISPOSE IN ACCORD W/LOCAL,STATE, AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this

document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.