Product ID:477068 PH 6.838 BUFFER

MSDS Date:05/13/1991

FSC:6550

NIIN:00-283-3206

MSDS Number: BDTJM === Responsible Party ===

Company Name: CIBA CORNING DIAGNOSTICS CORP

Address:63 NORTH ST

City:MEDFIELD

State:MA

ZIP:02052-2308 Country:US

Info Phone Num:508-359-7711 / FAX 508-359-2879

Eme

rgency Phone Num:508-359-7711/800-888-8372(> 5PM)

CAGE:51404

=== Contractor Identification ===

Company Name: CIBA CORNING DIAGNOSTICS CORP A JOINT VENTURE

Address:63 NORTH ST Box:City:MEDFIELD

State:MA

ZIP:02052-2308 Country:US

Phone: 508-359-7711/800-255-8769

CAGE:51404

======= Composition/Information on Ingredients ========

Ingred Name: NON HAZARDOUS INGREDIENTS

Fraction by Wt: 100%

Other REC Limits: NONE RECOMMENDED

====

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE: CONTACT WITH SKIN OR EYES MAY CAUSE SLIGHT IRRITATION. CHRONIC: NONE SPECIFIED BY MANUFACTURER. Explanation of Carcinogenicity:NO INGREDIENT OF A CONCENTRATION OF 0.1% OR GREATER IS LISTED AS A CARCINOGEN OR SUSPECTED CARCINOGEN.

Effects of Overexposure: SKIN: IRRITATION. EYES: IRRITATION.

Medical Cond Aggravated by Exposure: NONE SPECIFIED

BY MANUFACTURER.
======================================
First Aid:EYES-FLUSH WITH LOTS OF WATER FOR 15 MINUTES. SKIN-WASH AFFECTED AREAS WITH SOAP & WATER.
======================================
Extinguishing Media:USE MEDIA APPROPRIATE FOR SURROUNDING FIRE. Fire Fighting Procedures:NONE SPECIFIED BY MANUFACTURER. DLA-HMIS: FIREFIGHTERS SHOULD WEAR FULL PROTECTIVE CLOTHING INCLUDING POSITIVE-PRESSURE SELF-CONTAINED BREA THING APPARATUS. Unusual Fire/Explosion Hazard:NONE.
======================================
Spill Release Procedures:MOP AFFECTED AREA. RINSE WITH WATER. Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.
======================================
Handling and Storage Precautions:AVOID HIGH TEMPERATURES & KEEP FROM FREEZING. Other Precautions:NONE SPECIFIED BY MANUFACTURER.
====== Exposure Controls/Personal Protection ====================================
Respiratory Protection:NONE NORMALLY REQUIRED.  Ventilation:NONE NORMALLY REQUIRED.  Protective Gloves:RECOMMENDED-RUBBER, LATEX.  Eye Protection:SAFETY GLASSES W/SIDE SHIELDS  Other Protective Equipment:LABORATORY PROTECTIVE CLOTHING. DLA-HMIS:  EYE WASH AVAILABLE.  Work Hygienic Practices:WASH HANDS AFTER USE AND BEFORE EATING,  DRINKING, OR SMOKING. LAUNDER CONTAMINATED CLOTHES BEFORE REUSE.  Supplemental Safety and Health  FOR USE AS CALIBRATION REFERENCE FOR BLOOD GAS  ANALYZER-6

630-01-063-2944 & 6630-01-120-8419. ========= Physical/Chemical Properties =========== HCC:N1 Boiling Pt:B.P. Text:212F,100C Melt/Freeze Pt:M.P/F.P Text:32.0F,0.0C Spec Gravity:1.01 pH:6.838 Solubility in Water: COMPLETE Appearance and Odor: ODOLESS, COLORLESS LIQUID. ======== Stability and Reactivity Data =========== Stability Indicator/Materials to Avoid:YES NONE SPECIFIED BY MANUFACTURER. Stability Condition to Avoid: NONE SPECIFIED BY MANUFACTURER. Hazardo us Decomposition Products: NONE SPECIFIED BY MANUFACTURER. Conditions to Avoid Polymerization: WILL NOT OCCUR. ======= Disposal Considerations ============ Waste Disposal Methods: DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS. Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or i

mplied, warrants this information to be accurate and

disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.