

PRODUCT RESEARCH & CHEM CORP -- PR-810 -- 8030-00-285-4436

===== Product Identification =====

Product ID:PR-810

MSDS Date:01/01/1985

FSC:8030

NIIN:00-285-4436

MSDS Number: BDTNY

=== Responsible Party ===

Company Name:PRODUCT RESEARCH & CHEM CORP

Emergency Phone Num:213-240-2060

CAGE:DO551

=== Contractor Identification ===

Company Name:PRC-DESOTO INTERNATIONAL, INC. A PPG INDUSTRIES COMPANY

Address

:5430 SAN FERNANDO RD

Box:1800

City:GLENDALE

State:CA

ZIP:91209

Country:US

Phone:818-240-2060

CAGE:83574

Company Name:PRODUCT RESEARCH & CHEMICAL CORP.

Address:5430 SAN FERNANDO RD./P.O. BOX 1800

Box:1800

City:GLENDALE

State:CA

ZIP:91209

Phone:800-228-5635

CAGE:DO551

===== Composition/Information on Ingredients =====

Ingred Name:METHYL ETHYL KETONE (2-BUTANONE) (MEK) (SARA III)

CAS:78-93-3

RTECS #:EL6475000

Fraction by Wt: 42.5%

OSHA PEL:200 PPM/300 STEL

ACGIH TLV:200 PPM/3

00STEL 9192
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

===== Hazards Identification =====

Effects of Overexposure:SKIN & EYES IRRITANT.MAY CAUSE
HEADACHE,NAUSEA,DIZZ,ETC.

===== First Aid Measures =====

First Aid:SKIN:WASH THOROUGHLY W SOAP & WATER;EYES:WASH OUT IMMEDIATELY
W PLENTY OF WATER.GET MEDICAL ATTENTION;INHALATION:REMOVE AFFECTED
INDIVIDUAL TO FRESH AIR,USE CPR/OXYGEN IF NECESSARY,CALL PHYSICIAN

=====
===== Fire Fighting Measures =====

Flash Point:23F PMCC
Lower Limits:1.8
Upper Limits:10.0
Extinguishing Media:FOAM,DRY CHEM,CO*2
Fire Fighting Procedures:COOL FIRE EXPOSED CONTAINERS BY WATER SPRAY.
Unusual Fire/Explosion Hazard:CAN EMIT TOXIC VAPORS.

===== Accidental Release Measures =====

Spill Release Procedures:SMALL:MOP/WIPE UP W RAGS/PAPER TOWELS.CLEAN
AREA/SURFACE W METHYL ETHYL KETONE USING PROTECTIVE
EQUIPMENTS.LARGE:
STOP LEAK W/O RISK.ELIMINATE IGN SOURCES & DIKE
SPILL AREA.PUMP INTO SALVAGE TANK.ABSOR B REMAING LIQ W ABSORBENT &
SHOVEL INTOCONTAINERS

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN TIGHTLY CLOSED CONTAINERS IN
SHELTERED AREA.KEEP AWAY FROM HEAT,SPARKS & OPEN FLAME.
Other Precautions:CONTAINS FLAMMABLE AND VOLATILE SOLVENT.AVOID
PROLONGED/REATED SKIN CONTACT.AVOID VAPOR BREATHING.

===== Exposure Control

s/Personal Protection =====

Respiratory Protection:NIOSH/MESA APPROVED AIR SUPPLIED RESPIRATOR WHEN
NECESSARY

Ventilation:LOCAL/MECHANICAL(GEN):ADEQUATE TO MINIMIZE VAPORS.

Protective Gloves:RESISTANT

Eye Protection:CHEM GOGGLES

Other Protective Equipment:NONE KNOWN

Supplemental Safety and Health

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:176F

Vapor Pres:71.

Vapor Density:2.5

Spec Gravity:1.02

Evaporation Rate & Reference:4.6

So

lubility in Water:NEGLIGIBLE

Appearance and Odor:BLACK PASTE;KETONE ODOR

Percent Volatiles by Volume:42.0

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

CORROSIVE & OXIDIZING MATERIAL

Stability Condition to Avoid:SOURCE OF IGNITION

Hazardous Decomposition Products:NONE KNOWN

===== Disposal Considerations =====

Waste Disposal Methods:DO NOT INCINERATE LIQUID WASTE &

CONTAINERS(EMPTY/FULL)OF THE

PRODUCT.WASTE PRODUCT IN TIGHTLY

CLOSED CONTAINERS SUITABLE FOR SHIPMENT BE SHIPPED TO DISPOSAL
AREA.DISPOSE OF IAW LOCAL,STATE & FED REGU LATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this

document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.