

EASTMAN KODAK COMPANY -- METHYL ISOBUTYL KETONE -- 6810-00-286-3785

=====
Product Identification
=====

Product ID:METHYL ISOBUTYL KETONE

MSDS Date:01/01/1985

FSC:6810

NIIN:00-286-3785

MSDS Number: BDTTZ

=== Responsible Party ===

Company Name:EASTMAN KODAK COMPANY

Address:343 STATE STREET

City:ROCHESTER

State:NY

ZIP:14650

Country:US

Info Phone Num:716-477-3194 MSDS :800- 242-2424

Emergency Phone Nu

m:716-722-5151

CAGE:19139

=== Contractor Identification ===

Company Name:EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS

Address:343 STATE ST

Box:City:ROCHESTER

State:NY

ZIP:14650-1115

Country:US

Phone:716-722-5151/(800) 242-2424

CAGE:19139

=====
Composition/Information on Ingredients
=====

Ingred Name:METHYL ISOBUTYL KETONE (SARA III)

CAS:108-10-1

RTECS #:SA9275000

Fraction by Wt: >99%

OSHA PEL:100 PPM/75 STEL

ACGIH TLV:50 PPM/75 STEL; 9293

EPA Rpt Qty:5000 LBS

DOT Rpt Qty:50

00 LBS

===== Hazards Identification =====

Effects of Overexposure:INHALATIONS OF VAPOR MAY CAUSE NARCOSIS.EYE AND NASAL IRRITATION MAY OCCUR AT 200 PPM.

===== First Aid Measures =====

First Aid:INH:REMOVE TO FRESH AIR,GIVE OXY/CPR IF NEEDED.GET MED ASST;SKIN:REMOVE CONTMNTD CLOTHNG,FLUSH W/PLENTY OF WATER.GET MED ATTN;EYES:FLUSH W/PLENTY OF WATER FOR AT LEAST 15 MIN.GET MED ATTN;ING:DO NOT I NDUCE VOMITIN G.RINSE MOUTH W/WATER.GET MED ATTN.

===== Fire Fighting Measures =====

Flash Point:60F CC
Lower Limits:1.22
Extinguishing Media:CO*2,DRY CHEM
Unusual Fire/Explosion Hazard:NONE KNOWN

===== Accidental Release Measures =====

Spill Release Procedures:EVACUATE UNPROTECTED PERSONS,PROVIDE VENTILATION/SAFETY EQUIPMENTS IF NECESSARY.DIKE LG SPILL & PUMP INTO COVERED CONTNRS;ABSORB SM SPILL W/ABSORBING MATL & PLACE IN SAME CON TNR.

===== Handling and Storage =====

Handling and Storage Precautions:KEEP AWAY FROM SOURCE OF HEAT/IGNITIONS.STORE IN COOL,DRY PLACE.KEEP IN TIGHTLY CLOSED CONTAINERS.SEPARATE FROM CORR & OXIDIZING MATL.
Other Precautions:AVOID BREATHING VAP.AVOID SKIN,EYE,CLOTHNG CONTACT.USE W/ADEQUATE VENTILATION.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE NIOSH APPROVED RESPIRATOR
Ventilation:MECHANICAL GE

NERA
Protective Gloves:IMPERVIOUS
Eye Protection:CHEM SPLASA GOGG/SAFETY
Other Protective Equipment:AS REQD BY LOCAL AUTHORITIES
Supplemental Safety and Health
PROLONGED OR REPEATED CONTACT MAY CAUSE DEFATTING OF THE SKIN WITH
RESULTANT DERMATITIS

===== Physical/Chemical Properties =====

HCC:F2
Boiling Pt:B.P. Text:237
Vapor Pres:17
Vapor Density:3.5
Spec Gravity:0.8
Solubility in Water:2.0%

===== Stability and Reactivity Data =====

S
Stability Indicator/Materials to Avoid:YES
OXIDIZING & CORROSIVE MATL.
Stability Condition to Avoid:SOURCE OF IGNITION
Hazardous Decomposition Products:CO,CO*2

===== Disposal Considerations =====

Waste Disposal Methods:DEEP IN COVERED CONTAINERS PENDING
DISPOSAL.DISPOSE IN FULL COMPLIANCE W/FEDERAL,STATE & LOCAL
REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the
Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.