

DOW CORNING CORP -- DOW CORNING(R)4 ELECTRICAL INSULATING PASTE -- 6850-00-295-7685
===== Product Identification =====

Product ID:DOW CORNING(R)4 ELECTRICAL INSULATING PASTE

MSDS Date:02/05/1990

FSC:6850

NIIN:00-295-7685

MSDS Number: BDVVX

=== Responsible Party ===

Company Name:DOW CORNING CORP

Address:3901 SOUTH SAGINAW ROAD

Box:997

City:MIDLAND

State:MI

ZIP:48640

Country:US

Info Phone Num:517-49

6-5900

Emergency Phone Num:517-496-5900

Preparer's Name:JACK L. SHENEBERGER

CAGE:5D028

=== Contractor Identification ===

Company Name:DOW CORNING CORP

Address:3901 S SAGINAW RD

Box:997

City:MIDLAND

State:MI

ZIP:48686-0997

Country:US

Phone:517-496-6000/517-496-6315

CAGE:5D028

Company Name:DOW CORNING CORP

Address:2200 W SALZBURG RD

Box:City:AUBURN

State:MI

ZIP:48611

Country:US

Phone:517-496-4388

CAGE:71984

Company Name:INLAND PACKAGING INC

Address:209 PETERSON DR

Box:644

City:ELIZABETHTOWN

State:

KY
ZIP:42701-9804
Country:US
Phone:502-737-6757
CAGE:66172

===== Composition/Information on Ingredients =====

Ingred Name:NON HAZARDOUS INGREDIENTS
Fraction by Wt: 91%
Other REC Limits:NONE SPECIFIED

Ingred Name:SILICA GEL
CAS:112945-52-5
RTECS #:VV7310000
Fraction by Wt: 9%
Other REC Limits:NONE SPECIFIED

===== Hazards Identification =====

Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO
Health Hazards Acute and Chronic:NO KNOWN ADVERSE CHRONIC HEALTH EFFECTS.

Effects of Overexposure:EYES-POSS TEMP DISCOMFORT. SKIN-MAY CAUSE SLIGHT IRRITATION AFTER PROLONGED,REPEATED EXPOS. INHAL-POSS SLIGHT IRRITATION OR PAIN TO EYES OR RESPIRATORY PASSAGES. INGEST-AMTS TRANSFERRED TO MOUTH BY FINGERS,ETC.,DURING NORMAL OPNS SHOULD NOT CAUSE INJURY.

Medical Cond Aggravated by Exposure:MAY ENHANCE ALLERGIC REACTION ON SOME PEOPLE.

===== First Aid Measures =====

First Aid:EYES-FLUSH W/WATER. SKIN-WIPE OFF & FLUSH W/WATER.
INHAL/ORAL-NO PROBLEM

===== Fire Fighting Measures =====

Flash Point Method:CC
Flash Point:200F,93C
Extinguishing Media:WATER,WATER FOG,FOAM
Fire Fighting Procedures:USE SELF-CONTAINED BREATH APPARATUS & PROTECTIVE CLOTHING.
Unusual Fire/Explosion Hazard:NONE KNOWN

===== Accidental Release Measures =====

Spill Release Procedures:REMOVE PRODUCT & USE ABSORBENT MATERIAL TO TAKE CARE OF

F ANY OIL-LIKE RESIDUE.

===== Handling and Storage =====

Handling and Storage Precautions:USE REASONABLE CARE & CAUTION.

Other Precautions:TRACES OF FORMALDEHYDE & OTHER DECOMP PRODUCTS MAY
FORM AT TEMPS ABOVE 150C IN PRESENCE OF AIR. PROVIDE ADEQUATE VENT
AT ELEVATED TEMPS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE REQD

Ventilation:GENERAL MECHANICAL RECOMMENDED

Protective Gloves:WASHING AT MEAL

TIMES/END OF SHIFT OK

Eye Protection:SAFETY GLASSES

Other Protective Equipment:NONE

Work Hygienic Practices:GOOD PRACTICE REQUIRES GROSS AMTS OF ANY CHEM
BE REMOVED FM SKIN ASAP,ESP BEFORE EATING OR SMOKING

Supplemental Safety and Health

MSDS DTD 13 JAN 1981

===== Physical/Chemical Properties =====

HCC:V7

Vapor Pres: