

STEWART AND STEVENSON SERVICES INC. -- MMM-A-22C -- 8040-00-433-4065

===== Product Identification =====

Product ID:MMM-A-22C

MSDS Date:01/01/1987

FSC:8040

NIIN:00-433-4065

MSDS Number: BDYTN

=== Responsible Party ===

Company Name:STEWART AND STEVENSON SERVICES INC.

Address:4516 HARRISBURG BLVD

Box:1637

City:HOUSTON

State:TX

ZIP:77251-4637

Country:US

Info Phone Num:713-923-2161

Emergency Phone Num:713-923-2161

CAGE:81381

=== Contractor Identification ===

Compan

y Name:STEVEN INDUSTRIES

Address:39 AVENUE C

Box:8

City:BAYONNE

State:NJ

ZIP:07002-3417

Country:US

Phone:201-437-6501

CAGE:33150

Company Name:STEWART AND STEVENSON SERVICES INC.

Address:4516 HARRISBURG BLVD

Box:1637

City:HOUSTON

State:TX

ZIP:77251-4637

Country:US

Phone:713-923-2161

CAGE:81381

===== Composition/Information on Ingredients =====

Ingred Name:SOLVENTS

Ingred Name:POLYMERS

===== Hazards Identification =====

Effects of Overexposu

re:CAN CAUSE IRRIT TO EYES,SKIN,RESPIRATORY
TRACT,ETC.

===== First Aid Measures =====

First Aid:FOR SKIN CONTACT-WASH WITH SOAP & WATER.FOR EYE CONTACT-WASH
W/WATER & CALL PHYSICIAN.

===== Fire Fighting Measures =====

Flash Point:20F TCC -7

Lower Limits:1.8

Upper Limits:1.5

Extinguishing Media:IN CASE OF FIRE USE FOG,FOAM,DRY CHEMICAL OR CO*2

Fire Fighting Procedures:HANDLE AS VERY FLAMMABLE LIQUID

=====

===== Accidental Release Measures =====

Spill Release Procedures:ABSORBENT CLEANING SOLVENT.

===== Handling and Storage =====

Handling and Storage Precautions:AVOID OPEN FLAME & SPARK
SOURCES.PROVIDE ADEQUATE VENTILATION.AVOID EXCESSIVE HEAT.ALL
MECHANICAL EQUIPMENT SHOULD BE EXPLOSION PROOF.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:RESPIRATOR APPROV'D F/ORGANIC SOLVENT.

Ventilation:L

OC EXHAUST-AS REQD

Protective Gloves:RUBBR/POLYETHYL

Eye Protection:GOGG TO PREVNT EYE CONTAC

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:F2

Boiling Pt:B.P. Text:132F

Vapor Pres:186

Spec Gravity:.70

Evaporation Rate & Reference:BU-DSC-5.0

Solubility in Water:INSOLUBLE

Appearance and Odor:YELLOW COLORED LIQUID

Percent Volatiles by Volume:75

===== Stability and Reactivity Data =====

Stability Indicator/Ma

terials to Avoid: YES

Stability Condition to Avoid: HEAT, SPARKS & OPEN FLAME.

===== Disposal Considerations =====

Waste Disposal Methods: FOLLOW FEDERAL & LOC APPRV'D ENVIRONMENTAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.