View NSN Online: https://aerobasegroup.es/nsn/5910-00-489-6972

CORNELL-DUBLIER ELEC DIV. OF FED. PAC. ELEC. CO. -- KVX37P106QWP -- 5910-00-489-6972

Product ID:KVX37P106QWP

MSDS Date:01/01/1985

FSC:5910

NIIN:00-489-6972

MSDS Number: BFBGK === Responsible Party ===

Company Name: CORNELL-DUBLIER ELEC DIV. OF FED. PAC. ELEC. CO.

Address: ONE INTERCHANGE PLZ

City:WAYNE State:NJ ZIP:07470 Country:US

**Emergency Phone Num: NONE** 

CAGE:KO5

30

=== Contractor Identification ===

Company Name: CORNELL-DUBILIER ELECTRONICS

Address: ONE INTERCHANGE PLZ

Box:City:WAYNE

State:NJ ZIP:07470 Country:US

Phone:201-694-8600

CAGE:14655

Company Name: CORNELL-DUBLIER ELEC DIV. OF FED. PAC. ELEC. CO.

Address: ONE INTERCHANGE PLZ

Box:City:WAYNE

State:NJ ZIP:07470 Country:US CAGE:KO530

======= Composition/Information on Ingredients ========

Ingred Name: POLYCHLORINATED BIPHENYLS (PCBS) (SARA III)

CAS:1336-36-3

RTECS #:TQ1350000

EPA Rpt Qty:

DOT Rpt Qty:1 LB
======================================
Effects of Overexposure:ABSORBED THRU SKIN,LUNGS,INTESTINE.CAUSES CANCER,LIVER,KIDNEY,STOMACH,EYE,HEARING DISORDER(SUP DATA)
======================================
First Aid:EYES:FLUSH W/WATER IMMEDIATELY.SKIN:WASH W/SOAP IMMEDIATELY.INHAL:REMOVE TO FRESH AIR,GIVE ART.RESPIR. AS NEEDED.INGEST:GET MEDICAL ATTN.GIVE LARGE QTY OF SALT WATER,INDUCE VOMITING,BUT DO NOT MAKE UN CONSCIOUS PERSON VOMIT.
========= Accidental Release Measures ===========
Spill Release Procedures:USE ABSORBENT & DIKES TO PREVENT RUNOFF.ISOLATE & NOTIFY PROPER AUTHORITIES.
========== Handling and Storage ============
Handling and Storage Precautions:STORAGE MUST FOLLOW RCRA REQUIREMENTS. Other Precautions:LARGE CAPACITORS OF 3 LB OR MORE PCB REQUIRE LABELS IN STORAGE,USE & TRANSPORTATION
====== Exposure Controls/Pe rsonal Protection =========
Respiratory Protection:SUPPLIED AIR W/FULL FACEPIECE,HELMET OR HOOD Ventilation:LOCAL EXHAUST Protective Gloves:RUBBER-IMPERV Eye Protection:GOGGLES,FACE SHIELD Other Protective Equipment:FULL CLOTHING TO PREVENT SKIN CONTACT Supplemental Safety and Health OVEREXPOS:CAN CAUSE FORMATION OF CYSTS,CAUSES STILLBIRTHS.IRRITATES EYES,NOSE THROAT.
========= Physical/Chemical Properties ==========
HCC:Z3 Appearance and Odor:LIGHT STRAW-COLORED L

1 LB

IQUID,AROMATIC ODOR
========= Stability and Reactivity Data ==========
STRONG OXIDIZERS
======== Disposal Considerations ============
Waste Disposal Methods:CONTROLLED DISPOSAL REQUIRED-GENERALLY HIGH

TEMPERATURE INCINERATION.ONLY APPROVED DISPOSAL OPERATOR PERMITTED.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of Americ a in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.