GOAL CHEMICAL SEALANTS CORP. -- GC-1300 TYPE II, CLASS 1,2, & 3 -- 8030-00-515-2271 Product ID:GC-1300 TYPE II, CLASS 1,2, & 3 MSDS Date:01/01/1985 FSC:8030 NIIN:00-515-2271 Kit Part:Y MSDS Number: BFCDT === Responsible Party === Company Name: GOAL CHEMICAL SEALANTS CORP. Address:3137 E 26TH ST City:LOS ANGELES State:CA ZIP:90023-4206 Country:US CAGE:04011 === Contractor Identification === Company Name: GOAL CHEMICAL SEALANTS C **ORP** Address:3137 E 26TH ST Box:City:LOS ANGELES State:CA ZIP:90023-4206 Country:US Phone:213-269-0461 CAGE:04011 ====== Composition/Information on Ingredients ======== Ingred Name:TOLUENE (SARA III) CAS:108-88-3 RTECS #:XS5250000 Fraction by Wt: 2% OSHA PEL:200 PPM/150 STEL ACGIH TLV:50 PPM; 9293 EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS ========= Hazards Identification ================ Effects of Overexposure: MAY CAUSE SKIN & EYE IRRITATION

===========

====== First Aid Measures ====================================
First Aid:EYE CONTACT-FLUSH WITH WATER
======================================
Flash Point:170F COC 77C Lower Limits:2.7 Extinguishing Media:WATER, CO*2, DRY CHEMICALS
========== Accidental Release Measures ===========
Spill Release Procedures:REMOVE SOURCES OF INGITION. SCRAPE UP EXCESS & STORE IN CONTAINER. REMOVE RESIDEU W/1,1,1 TRICHLOROETHANE-SOAKED RAGS.
Handling and Storage ====================================
Tranding and Storage
Handling and Storage Precautions:STORE AWAY FROM HEAT SOURCES. Other Precautions:REMOVE SOURCES OF IGNITION.
====== Exposure Controls/Personal Protection ========
Ventilation:LOC EXHAUST-OPTIONAL, MECH-YES Protective Gloves:NEOPRENE/BUTYL Eye Protection:SAFETY GLASSES Other Protective Equipment:NONE Supplemental Safety and Health KEY1:F8.
========= Physical/Chemical Properties ==========
HCC:V4 Boiling Pt:B.P. Tex t:233F MIXTR Vapor Density:3.2 Spec Gravity:1.62 Evaporation Rate & Description R
========= Stability and Reactivity Data ==========
Stability Indicator/Materials to Avoid:YES Hazardous Decomposition Products:STRONG BASES, OXIDIZING AGENTS Conditions to Avoid Polymerization:STORE BELOW 80F
======== Disposal Considerations ===========

Waste Disposal Methods:REA

CT W/CATALYST & DISPOSE AS INERT MATERIAL.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of t his information to their particular situation.