View NSN Online: https://aerobasegroup.es/nsn/8030-00-684-8790

PRODUCTS RESEARCH & CHEMICAL CORPORATION -- POLYSULFIDE SEALANT,PR-1201(DISCON W/O REPL -- 8030-00-684-8790

Product ID:POLYSULFIDE SEALANT, PR-1201 (DISCON W/O REPL

MSDS Date:10/01/1985

FSC:8030

NIIN:00-684-8790

MSDS Number: BFCDY === Responsible Party ===

Company Name: PRODUCTS RESEARCH & CHEMICAL CORPORATION

Address:5430 SAN FERNANDO ROAD

Box:1800

City:GLENDALE

St

ate:CA ZIP:91209

Info Phone Num:(818) 240-2060

Emergency Phone Num: (818) 240-2060

CAGE:DO563

=== Contractor Identification ===

Company Name: PRC-DESOTO INTERNATIONAL, INC. A PPG INDUSTRIES COMPANY

Address:5430 SAN FERNANDO RD

Box:1800

City:GLENDALE

State:CA ZIP:91209 Country:US

Phone:818-240-2060

CAGE:83574

Company Name: PRODUCTS RESEARCH & CHEMICAL

Address: NOW DBA COURTAULDS AEROSPACE

Box:1800

City:GLENDALE

State:CA ZIP:91209

Phone:818-240-2060

CAGE:DO563

====== Composition/Information o

n Ingredients ========
Ingred Name:LEAD PEROXIDE (LEAD DIOXIDE), (OSHA PEL FROM 29CFR 1910.1025) CAS:1309-60-0
RTECS #:OG0700000
Fraction by Wt: 75%
OSHA PEL:0.05 MG/M3 (PB)
ACGIH TLV:0.15 MG/M3(PB); 8990
======================================
Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ANEMIA, CENTRAL NERVOUS SYSTEM EFFECTS, ABDOMINAL COLIO OR KIDNEY FUNC TION LOSS CAN OCCUR AT BLOOD
LEAD LEVELS OF 60 MG/100 GM. THE MOST SIGNIFICANT HEALTH HAZARD OF LEAD DIOXIDE IS BY INHALATION OF A IRBORNE DUST PARTICLES. INORGANIC LEAD COMPOUNDS IN GENERAL ARE TOXIC BY INGESTION, ALTHOUGH NOT READILY ABSORBED. Explanation of Carcinogenicity:NONE
Effects of Overexposure:ANEMIA, CENTRAL NERVOUS SYSTEM EFFECTS, ABDOMINAL COLIO OR KIDNEY FUNCTION. ===================================
First Aid:EYES: FLUSH WITH WATER. IF IRRITATION PERSISTS, CONSULT PHYSICIAN. SKIN: WASH THOROUGHLY WITH SOAP & WATER. INHALATION: N/R. INGESTION: CONSULT PHYSICIAN.
======================================
Flash Point:NON-FLAMMABLE Extinguishing Media:WATER Unusual Fire/Explosion Hazard:OXIDIZER
- Chaodai 1 ii σ, 2, φ, σσίστι 1 ia2ara. σ, τι Σ i.22 i τ
======================================
Spill Release Procedures:SCOOP UP SPILLED MATERIAL. CLEAN UP RESIDUE WITH RAGS AND NON-FLAMMABLE SOLVENT.
========

====== Handling and Storage ===========
Handling and Storage Precautions:WASH THOROUGHLY AFTER HANDLING & BEFORE SMOKING OR EATING. AVOID INGESTION.
====== Exposure Controls/Personal Protection ========
Protective Gloves:OIL RESISTANT RECOMMENDED Eye Protection:SAFETY GLASSES Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING AND BEFORE SMOKING OR EATING. AVOID INGESTION. Supplemental Safety and Health
======================================
HCC:D1 Spec Gravity:2.6 Solubility in Water:NEGLIGIBLE Percent Volatiles by Volume:0%
======== Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES Hazardous Decomposition Products:SMOKE; SOOT; CO; CO2; LEAD COMPOUNDS

Waste Disposal Methods:DISPOSE OF IN COMPLIANCE WITH FEDERAL & STATE REGULATIONS, D008 EPA HAZARDOUS WASTE.

========= Disposal Considerations ================

Disclaimer (provided wit

h this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.