

CORONADO PAINT CO INC.,308 OLD COUNTY EDGEWATER FL -- IVORY -- 8010-00-527-3195
===== Product Identification =====

Product ID:IVORY
MSDS Date:01/01/1987
FSC:8010
NIIN:00-527-3195
MSDS Number: BFCXC
=== Responsible Party ===
Company Name:CORONADO PAINT CO INC.,308 OLD COUNTY EDGEWATER FL
Emergency Phone Num:904-428-6461
CAGE:33200
=== Contractor Identification ===
Company Name:CORONADO PAINT COMPAN
Y, INC.
Address:308 OLD COUNTY ROAD
Box:City:EDGEWATER
State:FL
ZIP:32132-1812
Country:US
Phone:904-428-6461
CAGE:33200

===== Composition/Information on Ingredients =====

Ingred Name:ALKYD RESIN
Fraction by Wt: 30.0%

Ingred Name:PETROLEUM DISTILLATES (NAPHTHA OR RUBBER SOLVENT)
CAS:8002-05-9
RTECS #:SE7449000
Fraction by Wt: 19.0%
OSHA PEL:400 PPM
ACGIH TLV:400 PPM; 8990

===== Hazards Identification =====

Effects of Overexposure:PRODUCES S

EVERE IRRITATION ON DRYING OF SKIN
EXCESSIVE INHALATION CAUSES HEADACHE,DIZZINESS,NAUSEA.

===== First Aid Measures =====

First Aid:EYE CONTACT FLUSH W/WATER.SKIN CONTACT WASH W/MILD SOAP &
WATER & APPLY SKIN CREAM. INHALATION REMOVE TO FRESH AIR AND CALL
MD. APPLY ARTIFICIAL RESPIRATION,IF NECESSARY.

===== Fire Fighting Measures =====

Flash Point:102F SETA
Lower Limits:0.8
Upper Limits:5.0
Extinguishing Media
:FOAM CARBON DIOXIDE DRY CHEMICAL
Fire Fighting Procedures:TREAT AS CLASS B FIRE
Unusual Fire/Explosion Hazard:VAPOR MAY EXPLODE WHEN MIX WITH AIR

===== Accidental Release Measures =====

Spill Release Procedures:WEAR A RESPIRATOR.FLUSH WITH WATER INTO
RETAINING AREA OR CONTAINER. AVOID EXPOSURE TO SPARKS,FIRE OR HOT
METAL SURFACE.

===== Handling and Storage =====

Handling and Storage Precautions:KEEP AWAY FROM HEAT,SPARKS
,OPEN FLAME.
USE WITH ADEQUATE VENTILATION. AVOID PROLONGED OR REPEATED SKIN
CONTACT.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:SELF CONTAINED NIOSH APPROVED RESPIRATOR IF
NECESSARY.
Ventilation:LOCAL EXHAUST TO MAINTN BELOW TLV.
Protective Gloves:IMPERVIOUS
Eye Protection:CHEMICAL GOGGLES
Other Protective Equipment:EYE BATH & SAFETY SHOWER.
Supplemental Safety and Health

===== Physical/Chemical Properties =====

=====

HCC:F4

Boiling Pt:B.P. Text:315F (157C)

Vapor Pres:80

Vapor Density:4.9

Spec Gravity:0.903

Evaporation Rate & Reference:SLOWER THAN NBUACT

Solubility in Water:NEGLIGIBLE

Appearance and Odor:PETROLEUM DISTILLATE ODOR IVORY OPAQUE LIQUID

Percent Volatiles by Volume:64.0

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZERS.

Stability Condition to Avoid:EXCESSIVE HEAT,SPARK,OPEN FLAMES.

Hazardous Decomposition

Products:THERMAL DECOMPOSITION MAY YIELD CARBON
MONOXIDE.

===== Disposal Considerations =====

Waste Disposal Methods:LANDFILL, INCINERATION UNDER SAFE SUPERVISED
CONDITIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disc

claims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.